# yield 2016
## ALBERTA



Crop insurance yields by variety and risk area, brought to you by Agriculture Financial Services Corporation and Alberta Farmer

YIELD ALBERTA / 2016

WWW.AGRIC.GOV.AB.CA/APP96/LOADRPTINPUT

DUPONT
*The miracles of science™*

# BETTER START. BETTER HARVEST.

Bright golden yellow as far as the eye can see. Now that's the mark of a truly successful canola crop. But when you plant with seeds treated with Lumiderm™, you'll see the benefits of flea beetle and cutworm protection long before the first hints of yellow begin to grace your fields. That's because Lumiderm™ helps get your crop off to a better start. And a better start means a better harvest.

**Ask your seed supplier to include Lumiderm™ on your 2016 canola seed order.**
**Visit lumiderm.dupont.ca.**

**DuPont™ Lumiderm™**
insecticide seed treatment

DuPont™ Lumiderm™ is a DuPont™ Lumigen™ seed sense product.

As with all crop protection products, read and follow label instructions carefully.
Member of CropLife Canada.

8

# contents

YIELD ALBERTA / 2016 A PLANNING TOOL FOR ALBERTA FARMERS



## Variety Yield Tables



## Agroclimatic Maps




Yield Alberta is a publication of
Agriculture Financial Services Corporation

Correspondence may be addressed to:
Nikki Booth
Manager, Communications
Agriculture Financial Services Corporation
Rm 100 J.G. o'Donoghue Bldg. 7000 113 St.
Edmonton, AB T6H 5T6
Phone: 780-644-2152
Yield.Alberta@AFSC.ca

Published by
Farm Business Communications
1666 Dublin Avenue
Winnipeg, MB R3H 0H1
Phone: 204-944-5765
Fax: 204-944-5562
news@fbcpublishing.com
www.agcanada.com

National Sales:
Jack Meli
Phone: 647-823-2300
jack.meli@fbcpublishing.com

Supplement to the Alberta Farmer Express, February 29, 2016

# Yield Alberta

## Alberta farmers saw it all in 2015

Farmers will look back on the 2015 growing and harvest seasons as one of the most challenging in recent memory. While an early snowmelt gave producers a head start on seeding — 95 per cent of the province was seeded by May's end, one week ahead of the five-year average — that benefit soon evaporated. A lack of moisture combined with cool nights stunted early crop growth in May, dry conditions dominated June and July, and though normal precipitation levels returned in August, they made an untimely return to above-average levels for the harvest season.

### Dry conditions take their toll

Dry conditions were particularly tough on annual crops in June, as surface soil conditions plummeted from 70 per cent good to excellent in early May to just 21 per cent by the end of June. Growing conditions declined drastically as well; as June concluded, good-to-excellent crops had sunk to 30 per cent, the lowest reported since 2009. Perennial crops fared no better, with only 34 per cent of pasture conditions rated good to excellent at the end of May, and most grasses and legumes turned brown by June. As first-cut haying was underway in all regions but the north by the end of June, just 17 per cent of hay and pasture were rated good to excellent.

Dryness continued into July, though regions across the province experienced varying levels of crop development, conditions and moisture ratings. This trend reversed by mid-July, returning normal levels of rainfall to Alberta and improving the conditions and fill of late-seeded annual crops. First-cut dryland hay, despite limited plant growth, was 70 per cent complete by mid-July.

August brought the start of harvest, the first frost — reported on August 21 in the north — and a grasshopper infestation to the north and Peace regions. Haying was nearly complete by mid-August, though the preliminary average provincial yields on dryland was down 0.9 ton per acre from one year ago. Approximately 55 per cent of the province indicated the potential for a second cut of dryland hay by the end of the month.

### Fall rain was mostly unwelcome

September introduced new challenges for producers. Combining and swathing, well ahead of both the 2014 and long-term average at the start of the month, slowed or completely stopped due to unseasonably wet weather. Matters were made worse when the first killing frost — produced by temperatures that fell below -2 C — struck 60 per cent of Alberta. Despite the challenge, swathing or combining of dry peas, canola, spring wheat, barley and oats at the end of September were on par with or ahead of 2014 levels.

The September rains created numerous issues, including the harmful impact on grades of unharvested crops, but all was not bad. Soil moisture conditions improved drastically, as did subsoil moisture conditions. Precipitation also contributed to the regrowth and recovery of pastures, although less than one-third of pasture lands qualified as good to excellent.

### Reminder to plan ahead

2015 reminded Albertans that weather conditions are unpredictable and often inexplicable. Because fluctuations are a certainty in agriculture, it's imperative that producers secure a risk management plan that protects their bottom line.

# STILL USING GLYPHOSATE ALONE FOR YOUR BURNDOWN?

**CONQUER™**, **BlackHawk®**, **NEW GoldWing™** and **NEW Valtera™**, when tank mixed with glyphosate, provide greater weed control today and stronger stewardship for tomorrow. It's time for progress in your pre-seed burndown. Before you plant your next canola, cereal, pulse or soybean crop, choose an advanced burndown for a better future.

Ask your local retailer for more information.

**1.800.868.5444 | Nufarm.ca**




VALENT

Always read and follow label directions.

BlackHawk® is a registered trademark of Nufarm Agriculture Inc.
CONQUER™ and GoldWing™ are trademarks of Nufarm Agriculture Inc.
Valtera™ is a trademark of Valent U.S.A. Corporation.

45824-02-0316

PHOTO: Glenbow Archives NC-6-3834

Nufarm

**Grow a better tomorrow.**

In 2015, AFSC insured 14.7 million annual crop acres, a slight increase from 14.5 million acres in 2014

# Insurance pays off for producers in 2015

*AFSC staff*

Agriculture Financial Services Corporation's (AFSC) insurance programs provided strong value to clients this past year. AgriInsurance protects producers from losses on annual and perennial crops caused by designated natural perils. After one of the driest summers since 2009, most producers who integrated crop insurance within their risk management strategy will be recipients of the several hundred million dollars that AFSC expects to pay in indemnities.

The promise of an early snowmelt, which allowed producers to get a head start on seeding, was lost due to the devastatingly low precipitation levels that dehydrated crops across Alberta throughout June and July. Dryness continued until August, prompting clients to request the ability to put their perennial and annual crops to another use. By early fall, the 163 hay and 2,642 crop pre-harvest claims initiated were well above 2014 levels, and when haying was complete at September's end, the 993 post-harvest claims submitted by producers marked a drastic 275 per cent increase over the figure generated in the previous year.

## Acreage and coverage up

AFSC's Annual Crop Insurance Programs protect producers from financial losses due to circumstances beyond their control. In 2015, AFSC insured 14.7 million annual crop acres, a slight increase from the 14.5 million acres insured in 2014. The percentage of subscriptions with 80 per cent or more coverage (51.6) increased; conversely, proportions for 70 per cent coverage (32.3) and less than 70 per cent coverage (33.4) showed a marginal decrease. Additionally, the average crop acres insured per subscription increased to 1,282 in 2015 from 1,218 in 2014.

Providing a production guarantee for hay crops based on average historical yields and the coverage option selected, numerous perennial insurance program options are available to suit the Alberta producer's crop of choice. Producers held 5,600 perennial subscriptions for 6.7 million acres of insured crops in 2015.

Perennial crop insurance was especially beneficial to farmers following the summer's volatile weather patterns. Prevalent hailstorms resulted in 4,745 completed and paid-out Hail

Continued on next page

**TOTAL INDEMNITIES PAID TO PERENNIAL INSURANCE CLIENTS IN 2015**

| Insurance Program | # of Clients with a loss | Indemnity paid |
|---|---|---|
| Unseeded | 228 | $256,029.63 |
| Reseed | 376 | $7,033,416.00 |
| Silage/Greenfeed | 528 | $15,027,204.95 |
| Hail Endorsement | 3374 | $205,552,336.93 |
| Moisture Deficiency Endorsement | 667 | $883,670.69 |
| Export Timothy Hay | 2 | $54,140.77 |
| Satellite Yield Insurance | 498 | $10,122,838.81 |
| Moisture Deficiency Insurance | 3041 | $39,917,240.45 |
| Straight Hail | 1200 | $32,605,655.22 |

Endorsement claims, and untimely wet weather in September and October introduced wildlife damage as an issue for many producers. Though they occurred mostly in northern Alberta, 730 such wildlife claims were created in 2015. In total, 10,604 indemnities were approved and paid out to Alberta farmers this past year.

## Straight hail results

Many producers wisely protected themselves from the summer's persistent hail damage by subscribing to AFSCs' Straight Hail Insurance Program. This program is available to anyone with an interest in an insurable crop grown in Alberta, whether they are a producer, a tenant or a crop-share landlord, and provides protection for spot loss damage to crops caused by hail, accidental fire and fire caused by lightning.

Last year, AFSC recorded 3,758 straight hail subscriptions to cover $546 million of risk on 3.8 million acres; this generated $45.7 million in premium. Approximately 1,200 clients received $32.6 million from straight hail claims in 2015.

***In 2015, AFSC insured 14.7 million annual crop acres, a slight increase from the 14.5 million acres insured in 2014.***

## Indemnities help cushion difficult year for insured producers

The 2015 growing and harvest season was unquestionably challenging for Alberta's farmers. A combination of damaging hailstorms and disastrously low rain levels forced farmers to make difficult decisions about their operation and consider the ways in which crops can be protected in 2016. At the time of writing, over $440 million was paid to producers due to the summer's dry conditions, proof that participation in AFSC's insurance programs is essential to securing peace of mind in Alberta agriculture.

Organic and malt barley insurance are among the changes for this year

# Enhancements introduced to six AFSC insurance programs

*AFSC* Research and Product Development

- **ALFALFA SEED INSURANCE — winterkill added as a designated peril**

Agriculture Financial Services Corporation (AFSC) amended the Annual Insurance Program to include winterkill as a designated peril for alfalfa seed production loss insurance. The Alberta Alfalfa Seed Commission provided background information and requested that this product be developed. Coverage will be available for the year in which the winterkill occurs.

Pedigreed alfalfa seed producers lacked access to an insurance product that protects them from losses attributed to winterkill. In the past, winterkill has caused alfalfa seed producers to suffer serious economic losses.

- **BEE OVERWINTERING INSURANCE — individual coverage now available**

The Bee Overwintering Insurance Program was introduced in 2009 when the sector experienced two straight years of abnormal overwintering losses. As part of a review of the bee overwintering program and in consultation with the Alberta Beekeepers Commission, AFSC will now implement individual coverage — based on a producer's unique experience — with a 10 per cent deductible. As well, clients will receive a premium discount or surcharge based on their loss experience.

Continued on next page

## • NEW RECOGNITION FOR ORGANIC PRODUCTION INSURANCE

Organic Alberta worked with AFSC to find a way to give organic production the recognition that it deserves. In 2016, organic insurance will work like AFSC's standard production insurance programs. The exception is that certified organic producers will no longer be assessed for uninsured causes of loss, provided the producer follows the guidelines established by the Organic Standard and the Insuring Agreement.

Depending on crop and practice, new clients will be given the commercial township average yield reduced by 15 to 50 per cent. Current clients who wish to switch to organic end use may be able to use their individual yield records to set coverage. Organic insurance prices will be between 1.6-2.6 times higher than the commercial insurance prices depending on crop.

Due to the lack of substantial certified organic yield data in Alberta, premium will initially be above the commercial premium and adjusted as the risk of organic production is better understood. The program will be limited to barley, canola, field peas, flax, oats, rye (fall, spring), triticale (fall, spring) and wheat (CPS, durum, extra strong, hard red spring/winter and soft white spring).

## • MALT BARLEY INSURANCE COVERAGE — new option for maltsters

Through a premium price that is compared to commercial barley, a new end-use option for malt barley insurance will provide more coverage for growers with malt contracts. A working group, including AFSC and Alberta Barley Commission staff and board members, maltsters and producers, was formed to overcome challenges to the original product and mould it to fit the needs of farmers who grow malt in Alberta.

The product will be the first in Canada to tackle specific insurance coverage for a malting end use.

## • FIELD PEA INSURANCE PRICES — shift to edible end use continues

Over time, field pea insurance pricing has transitioned to reflect the ratio of edible and feed peas grown in Alberta. Changes to field pea insurance pricing for 2016 will continue to shift from a 70:30 edible-to-feed price ratio to a 100 per cent edible pea end-use price. The change will include an increase in the guaranteed quality from a 3 CAN to a 2 CAN level.

## • DISTINCT CATEGORY CREATED FOR YELLOW DRY BEANS

Yellow dry beans are currently insured under the "black/other" dry bean category. A distinct, separate insurance category will be created for Yellow Dry Beans in 2016.

The enhancement was created through the combined efforts of the Alberta Pulse Growers and AFSC pulse insurance enhancement team. Changes will provide more accurate insurance coverage for both yellow dry beans and beans in the black/other category.

# Keeping the farming legacy alive

*AFSC* staff

In early 2000, second-generation cattle ranchers Kaye and Daryl Blonjeaux were forced to make a difficult decision. Land prices had increased significantly in southern Alberta where their ranch was located — an obstacle in their path to expand beyond their modest quarter section. Driven to secure a larger plot of ranchland, they relocated to the town of Vermilion, a two-hour drive east of Edmonton, where land was considerably less expensive. Daryl and Kaye set their sights on 16 quarters and a 500-head cow-calf operation, and with a $1.3-million loan from a commercial bank, their dream of owning a large-scale ranch came true.

Following the move, things didn't go as planned. Despite all attempts to become profitable during their early years of operation, the company was unable to meet financial obligations to creditors. For many reasons, including some difficulty adapting to northern Alberta's growing conditions and production capacity, the ranch struggled. Debt mounted as the 2002 drought sent the cost of feed skyrocketing and bovine spongiform encephalopathy (BSE) depressed calf prices.

## Mediation

In 2006, buried in debt and struggling to make loan payments, the Blonjeauxs initiated Farm Debt Mediation. A forbearance agreement was then negotiated with the bank creditor, providing a delay on the loan's foreclosure and a time frame to repay the entire debt load.

Daryl and Kaye did not stop there; they needed more help. They completely understood the seriousness of their situation and knew they had to repay their creditors, but selling the ranch was not an option. They turned to Agriculture Financial Services Corporation (AFSC) for a way forward. A complete restructure of their debt was in order, but it was clear that the ranch could no longer carry what it owed.

After several meetings with AFSC, the clients agreed to sell some land to Kaye's brothers, disperse part of the cattle herd and refinance the balance of their loans through AFSC over 20 years.

The sell-down allowed the ranch to retain 890 deeded acres, 380 bred cows, 30 replacement heifers and all of its equipment. The land was sold to family on favourable terms because the company would continue to use the ranchland at low cost, and the brothers committed to sell the land back to the company if and when profits permitted.

From a financial perspective, the sell-down provided light at the end of the tunnel for the Blonjeauxs. However, the terms remained hard to accept because they had planned to hire their three daughters and sons-in-law to work the ranch. The shrunken cattle herd meant it would not be possible for the company to hire more employees. Worse, the lessened workload and cost-reduction measures determined that the one son-in-law on staff would have to be let go.

## The way back

Over the years, Daryl and Kaye's production management steadily improved. There were several bumps in the road, but the operation became viable and was able to repay its debt to AFSC. The ranch was eventually able to restock its cattle herd and buy some land back from the family. It has even adopted a strong risk management strategy, enrolling in AFSC insurance programs including those for pasture, greenfeed/silage, lack of moisture, AgriStability, and even the Western Livestock Price Insurance Program (WLPIP).

Sadly, Kaye Blonjeaux passed away before realizing her dream of farming alongside her daughters. However, Kaye would be happy knowing that her daughter Dawn and son-in-law Mathew would secure financing from AFSC in 2013 to purchase 270 acres of the land that was originally sold as part of the restructure package. Dawn and Mathew, now established third-generation cattle ranchers, have a long-term plan to one day own the family operation.

Success in agriculture does not always happen in a straight line. On top of the risks that come with any business, producer operations are susceptible to the unpredictability of Mother Nature and the marketplace. A story like that of the Blonjeauxs is one of hundreds that AFSC has witnessed in more than 77 years serving Alberta's agriculture industry.


cropscience.bayer.ca 1 888-283-6847 @Bayer4CropsCA



Bayer

0-66-11/15-10469359-E


Precipitation Received
During April, 2015
April 1, 2015 to
April 30, 2015
Precipitation (mm)
< 1
1-5
5-10
10-15
15-20
20-25
25-30
30-35
35-40
40-45
45-50
50-55
> 55
No Data
Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development.
Government of Alberta
Agriculture and Rural Development
Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on May 6, 2015


Precipitation Received
During May, 2015
May 1, 2015 to
May 31, 2015
Precipitation (mm)
<1
1-5
5-10
10-15
15-20
20-25
25-30
30-35
35-40
40-45
45-50
50-55
> 55
No Data
Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development.
Government of Alberta
Agriculture and Rural Development
Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on June 2, 2015


Precipitation Received
During June, 2015
June 1, 2015 to
June 30, 2015
Precipitation (mm)
< 1
1-5
5-10
10-20
20-30
30-40
40-50
50-60
60-70
70-80
80-90
90-100
> 100
No Data
Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development.
Government of Alberta
Agriculture and Rural Development
Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on July 3, 2015


Precipitation Received
During July, 2015
July 1, 2015 to
July 31, 2015
Precipitation (mm)
< 1
1-5
5-10
10-20
20-30
30-40
40-50
50-60
60-70
70-80
80-90
90-100
> 100
No Data
Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development.
Government of Alberta
Agriculture and Rural Development
Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on August 5, 2015



Precipitation Received
During August, 2015
August 1, 2015 to
August 31, 2015

**Precipitation (mm)**

| | |
|---|---|
| 0-5 | 50-60 |
| 1-5 | 60-70 |
| 5-10 | 70-80 |
| 10-20 | 80-90 |
| 20-30 | 90-100 |
| 30-40 | > 100 |
| 40-50 | No Data |

Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development.

**Government of Alberta**
Agriculture and Rural Development

Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on January 29, 2016



Precipitation Received
During September, 2015
September 1, 2015 to
September 30, 2015

**Precipitation (mm)**

| | |
|---|---|
| < 1 | 50-60 |
| 1-5 | 60-70 |
| 5-10 | 70-80 |
| 10-20 | 80-90 |
| 20-30 | 90-100 |
| 30-40 | > 100 |
| 40-50 | No Data |

Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development.

**Government of Alberta**
Agriculture and Rural Development

Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on October 1, 2015



Spring Wheat
Soil Moisture
Reserves Relative
to Long Term Normal
to a Depth of 120 cm

Estimated as of April 30, 2015

| Condition | Frequency |
|---|---|
| driest | < once in 50 years |
| extremely low | once in 25 to 50 years |
| very low | once in 12 to 25 years |
| low | once in 6 to 12 years |
| moderately low | once in 3 to 6 years |
| near normal | once in 3 years |
| moderately high | once in 3 to 6 years |
| high | once in 6 to 12 years |
| very high | once in 12 to 25 years |
| extermely high | once in 25 to 50 years |
| wettest | < once in 50 years |
| no data | |

Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development. Soil moisture was modeled for spring wheat on medium textured soils using the modified Versatile Soil Moisture Budget V-2.0. The frequency of occurrence was based on model runs using historical weather data from the 1961-2010 period, interpolated to township centres using AbClime-3.1.

**Government of Alberta**
Agriculture and Rural Development

Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on May 6, 2015



Spring Wheat
Soil Moisture
Reserves Relative
to Long Term Normal
to a Depth of 120 cm

Estimated as of September 30, 2015

| Condition | Frequency |
|---|---|
| driest | < once in 50 years |
| extremely low | once in 25 to 50 years |
| very low | once in 12 to 25 years |
| low | once in 6 to 12 years |
| moderately low | once in 3 to 6 years |
| near normal | once in 3 years |
| moderately high | once in 3 to 6 years |
| high | once in 6 to 12 years |
| very high | once in 12 to 25 years |
| extermely high | once in 25 to 50 years |
| wettest | < once in 50 years |
| no data | |

Near-real-time weather data was assembled and quality controlled by Alberta Agriculture and Rural Development. Soil moisture was modeled for spring wheat on medium textured soils using the modified Versatile Soil Moisture Budget V-2.0. The frequency of occurrence was based on model runs using historical weather data from the 1961-2010 period, interpolated to township centres using AbClime-3.1.

**Government of Alberta**
Agriculture and Rural Development

Compiled by Alberta Agriculture and Rural Development, Environmental Stewardship Division, Technology and Innovation Branch
Created on October 1, 2015

Visit weatherdata.ca for additional maps and meteorological data













Visit weatherdata.ca for additional maps and meteorological data

**COMPETITION + GLYPHOSATE**
**DAY 21: re-growth occurs**

**EXPRESS® + GLYPHOSATE**
**DAY 21: complete burn**

Actual test results. University of Guelph, 2014.

DUPONT
*The miracles of science™*

## SEE THE PROOF FOR YOURSELF

**Express® burns to the roots with no re-growth.** Add DuPont™ Express® to your pre-seed glyphosate burn-off tank mix this spring and you'll eliminate your toughest weeds from the shoots to roots with its complete systemic activity. For cleaner fields and higher yields, get a head start this spring with Express® brand herbicides. **See the video of our side-by-side performance trials at express.dupont.ca right now.**

**Ask your retailer how you can save up to 10% and enjoy a bonus rebate of up to $2.50 per acre with the FarmCare® Connect Grower Program.**

**DuPont™ Express®**
herbicide

# RISK AREAS


Fort Vermilion
22
Manning
21
Grimshaw
Fairview
18
19
Falher
Spirit River
20
Grande Prairie
High Prairie
Valleyview
17
Athabasca
16
Thorhild
Barrhead
Westlock
Smoky Lake
15
St. Paul
11
Lamont
14
Stony Plain
Vegreville
Vermilion
13
Leduc
10
Camrose
Wainwright
Ponoka
Sedgewick
12
Lacombe
Provost
Stettler
Castor
9
Red Deer
7
8
6
Olds
Three Hills
Hanna
Oyen
Drumheller
Airdrie
Strathmore
5
High River
Brooks
4
Vulcan
Medicine Hat
Claresholm
1
2
Taber
3
Lethbridge
Foremost
Cardston
Crop Risk Areas
Central Office
Regional Offices
AgriInsurance District Offices
AFSC

# ALBERTA

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Stettler (HRS) | 48 | 59 | 49 | 917,300 | 42 | 863,581 |
| CDC Go (HRS) | 49 | 63 | 48 | 581,912 | 47 | 579,303 |
| Harvest (HRS) | 48 | 60 | 53 | 552,212 | 48 | 461,867 |
| AC Foremost (CPS) | 63 | 83 | 71 | 349,020 | 64 | 348,526 |
| Muchmore (HRS) | 60 | 73 | 60 | 128,179 | 52 | 257,737 |
| CDC Stanley (HRS) | 52 | 61 | 52 | 203,483 | 46 | 220,793 |
| Strongfield (D) | 47 | 52 | 42 | 176,214 | 32 | 220,633 |
| Lillian (HRS) | 38 | 47 | 39 | 317,266 | 35 | 218,519 |
| CDC Utmost (HRS) | 51 | 59 | 51 | 125,521 | 41 | 163,302 |
| CDC Abound (HRS) | 48 | 60 | 52 | 158,727 | 51 | 142,139 |
| 5700 PR (CPS) | 60 | 77 | 63 | 155,876 | 52 | 126,166 |
| Carberry (HRS) | 48 | 55 | 47 | 68,309 | 41 | 98,348 |
| Transcend (D) | — | 56 | 43 | 43,866 | 39 | 96,359 |
| Brigade (D) | 56 | 65 | 46 | 33,491 | 36 | 69,599 |
| Superb (HRS) | 46 | 58 | 48 | 92,495 | 45 | 67,067 |
| CDC Verona (D) | 53 | 51 | 40 | 43,259 | 36 | 54,759 |
| AC Eatonia (HRS) | 36 | 44 | 34 | 97,142 | 26 | 52,875 |
| CDC VR Morris (HRS) | — | 62 | 51 | 14,471 | 41 | 39,094 |
| Conquer (CPS) | — | 76 | 53 | 19,395 | 48 | 34,380 |
| Sadash (SWS) | 52 | 63 | 50 | 28,261 | 41 | 31,401 |
| AC Crystal (CPS) | 58 | 67 | 63 | 35,296 | 42 | 29,001 |
| Radiant (HRW) | 56 | 56 | 53 | 49,243 | 46 | 28,728 |
| CDC Plentiful (HRS) | — | — | 53 | 1,375 | 46 | 28,116 |
| Cardale (HRS) | — | — | 49 | 9,500 | 44 | 26,681 |
| Shaw (HRS) | 42 | 55 | 46 | 14,423 | 40 | 23,308 |
| CDC Alsask (HRS) | 45 | 52 | 45 | 27,899 | 37 | 22,685 |
| AC Intrepid (HRS) | 45 | 56 | 42 | 23,472 | 41 | 20,842 |
| AAC Raymore (D) | — | — | — | — | 36 | 19,968 |
| AC Splendor (HRS) | 42 | 55 | 47 | 17,933 | 40 | 19,569 |
| 5604HR CL (HRS) | 45 | 57 | 47 | 22,047 | 51 | 18,714 |
| CDC Teal (HRS) | 47 | 49 | 38 | 23,890 | 47 | 18,256 |
| SY 985 (CPS) | 64 | 73 | 68 | 32,251 | 52 | 18,110 |
| 5702 PR (CPS) | 57 | 72 | 60 | 20,310 | 54 | 18,045 |
| CDC Imagine (HRS) | 44 | 55 | 51 | 18,550 | 48 | 15,741 |
| CDC Thrive (HRS) | 50 | 60 | 49 | 15,159 | 38 | 15,639 |
| AC Avonlea (D) | 45 | 49 | 38 | 13,115 | 32 | 14,785 |
| Moats (HRW) | — | — | 55 | 10,079 | 40 | 14,637 |
| AAC Redwater (HRS) | — | — | — | — | 53 | 13,963 |
| AAC Ryley (CPS) | — | — | 62 | 999 | 64 | 13,738 |
| Pasteur (CPS) | — | 74 | 64 | 6,470 | 60 | 13,406 |
| Goodeve (HRS) | 46 | 57 | 54 | 21,543 | 41 | 13,144 |
| AC Cadillac (HRS) | 32 | 35 | 36 | 12,564 | 32 | 12,606 |
| Alvena (HRS) | 45 | 52 | 40 | 14,562 | 38 | 11,887 |
| AC Andrew (SWS) | 50 | 59 | 49 | 13,410 | 43 | 11,531 |
| AAC Elie (HRS) | — | — | 48 | 849 | 51 | 11,527 |
| Glenn (HRS) | 39 | 51 | 42 | 11,231 | 38 | 11,099 |
| Enterprise (D) | 54 | 56 | 48 | 13,573 | 36 | 10,860 |
| Roblin (HRS) | 42 | 45 | 41 | 10,852 | 28 | 9,768 |
| WR 859 CL (HRS) | 45 | 48 | 42 | 13,267 | 44 | 9,398 |
| 5701 PR (CPS) | 53 | 69 | 57 | 13,870 | 40 | 9,330 |
| Unity (HRS) | 46 | 57 | 48 | 16,411 | 31 | 9,177 |
| AC Navigator (D) | 51 | 53 | 42 | 10,189 | 31 | 9,050 |
| AC Elsa (HRS) | 39 | 52 | 39 | 9,308 | 34 | 7,898 |
| AC Barrie (HRS) | 35 | 43 | 43 | 13,131 | 38 | 7,698 |
| Prodigy (HRS) | 39 | 42 | 40 | 14,996 | 34 | 7,467 |
| Oslo (CPS) | 65 | 92 | 70 | 6,341 | 88 | 7,245 |
| Kyle (D) | 38 | 41 | 28 | 4,111 | 28 | 6,936 |
| Infinity (HRS) | 42 | 46 | 43 | 9,394 | 34 | 6,693 |
| CDC Osler (HRS) | 55 | 73 | 48 | 6,234 | 37 | 6,349 |
| CDC Fortitude (D) | — | — | — | — | 37 | 5,978 |
| McKenzie (HRS) | 44 | 48 | 41 | 8,417 | 36 | 4,197 |
| AAC Brandon (HRS) | — | — | — | — | 38 | 4,142 |
| Journey (HRS) | 39 | 48 | 48 | 4,422 | 40 | 4,126 |
| CDC NRG003 (CPS) | 60 | 79 | 67 | 8,048 | 34 | 3,355 |
| Alikat (HRS) | 29 | 51 | 39 | 3,565 | 28 | 3,256 |
| AAC Bailey (HRS) | — | — | 56 | 1,636 | 48 | 3,156 |
| Snowbird (HRS) | — | 61 | 58 | 5,698 | 48 | 2,932 |
| Leader (HRS) | 25 | 37 | 30 | 2,618 | 27 | 2,700 |
| CDC Bounty (HRS) | 44 | 54 | 47 | 2,354 | 50 | 2,670 |
| AC Bellatrix (HRW) | 60 | 52 | 36 | 2,365 | 51 | 2,308 |
| NRG010 (CPS) | — | 65 | — | — | 39 | 2,120 |
| AC Taber (CPS) | 55 | 72 | 59 | 5,779 | 34 | 1,884 |
| Enchant (CPS) | — | — | — | — | 41 | 1,752 |
| Laura (HRS) | 30 | 28 | 26 | 3,733 | 33 | 1,750 |
| Pintail (HRW) | — | — | — | — | 54 | 1,692 |
| Vesper (HRS) | — | — | — | — | 42 | 1,679 |
| Park (HRS) | 32 | 39 | 40 | 1,566 | 21 | 1,670 |
| Whitehawk (HRS) | — | 52 | — | — | 54 | 1,633 |
| Columbus (HRS) | 30 | 34 | 32 | 3,289 | 17 | 1,591 |
| AC Morse (D) | 49 | 47 | — | — | 26 | 1,539 |
| CDC Buteo (HRW) | 61 | 60 | 47 | 6,034 | 47 | 1,494 |
| Flourish (HRW) | — | — | — | — | 74 | 1,445 |
| AAC Penhold (CPS) | — | — | 63 | 201 | 68 | 1,280 |
| Somerset (HRS) | — | 66 | — | — | 33 | 1,203 |
| Katepwa (HRS) | 21 | 26 | 38 | 1,549 | 36 | 962 |
| AC Tempest (HRW) | 53 | — | — | — | 39 | 455 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **45** | **4,809,166** |

## WHEAT IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Carberry (HRS) | 70 | 76 | 78 | 52,342 | 77 | 37,490 |
| CDC Go (HRS) | 73 | 81 | 83 | 41,225 | 84 | 33,899 |
| Strongfield (D) | 75 | 90 | 81 | 17,384 | 89 | 25,454 |
| Cardale (HRS) | — | — | 86 | 18,126 | 80 | 21,609 |
| CDC Abound (HRS) | 64 | 77 | 73 | 14,770 | 75 | 12,220 |
| Sadash (SWS) | 81 | 95 | 87 | 10,026 | 69 | 12,038 |
| Transcend (D) | — | 79 | 83 | 3,311 | 77 | 10,289 |
| Radiant (HRW) | 84 | 89 | 86 | 15,470 | 93 | 9,429 |
| AAC Brandon (HRS) | — | — | — | — | 86 | 8,975 |
| AAC Elie (HRS) | — | — | — | — | 84 | 7,475 |
| CDC Verona (D) | 74 | 75 | 77 | 7,184 | 81 | 7,259 |
| Superb (HRS) | 67 | 78 | 81 | 12,197 | 77 | 5,946 |
| Stettler (HRS) | 70 | 78 | 63 | 16,889 | 73 | 5,929 |
| Muchmore (HRS) | — | — | 73 | 2,907 | 84 | 5,895 |
| Lillian (HRS) | 52 | 56 | 55 | 3,577 | 55 | 4,453 |
| CDC Stanley (HRS) | 70 | 77 | 63 | 1,860 | 70 | 4,143 |
| AAC Raymore (D) | — | — | — | — | 75 | 3,611 |
| AAC Redwater (HRS) | — | — | — | — | 79 | 3,067 |
| CDC Fortitude (D) | — | — | — | — | 91 | 2,828 |
| CDC VR Morris (HRS) | — | — | 69 | 3,069 | 65 | 2,696 |
| Glenn (HRS) | 63 | 71 | 72 | 3,929 | 77 | 2,321 |
| Pasteur (CPS) | — | — | 95 | 665 | 90 | 2,154 |
| AC Foremost (CPS) | — | 99 | 62 | 3,576 | 77 | 2,088 |
| Enterprise (D) | 61 | 70 | 74 | 1,166 | 77 | 1,881 |
| Flourish (HRW) | — | — | — | — | 105 | 1,864 |
| Conquer (CPS) | — | — | 86 | 2,050 | 77 | 1,812 |
| AC Tempest (HRW) | 86 | 63 | 94 | 1,307 | 86 | 1,359 |
| Whitehawk (HRS) | — | — | 60 | 699 | 68 | 1,155 |
| Brigade (D) | 74 | 84 | 76 | 1,400 | 76 | 1,125 |
| AC Crystal (CPS) | — | 96 | 68 | 1,914 | 72 | 897 |
| **Weighted Average Irrigated Wheat yield (Bu.) & total acres§** | | | | | **80** | **251,840** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L130 | 36 | 48 | 38 | 746,019 | 39 | 547,996 |
| 74-44 BL | 33 | 44 | 37 | 568,309 | 41 | 542,651 |
| L135 C | 39 | 51 | 48 | 406,684 | 49 | 539,595 |
| L252 | — | — | 41 | 198,354 | 46 | 444,131 |
| 5440 | 36 | 46 | 40 | 382,446 | 42 | 259,254 |
| 74-54 RR | — | 49 | 42 | 255,936 | 45 | 208,204 |
| VR 9562GC | — | — | 45 | 92,211 | 47 | 174,594 |
| 45H33 | — | — | — | — | 45 | 141,972 |
| L120 | 33 | 43 | 33 | 231,841 | 33 | 128,304 |
| L140 P | — | — | 39 | 43,520 | 36 | 111,094 |
| 1990 | 33 | 46 | 38 | 140,082 | 40 | 104,082 |
| 45H29 | 35 | 47 | 43 | 152,966 | 42 | 94,312 |
| 73-45 RR | 33 | 41 | 32 | 134,460 | 33 | 86,299 |
| 73-15 RR | 31 | 40 | 30 | 122,601 | 31 | 76,125 |
| L150 | 35 | 46 | 37 | 115,826 | 39 | 72,917 |
| 45H31 | 34 | 44 | 36 | 114,453 | 40 | 72,200 |
| D3155C | — | — | — | — | 46 | 49,146 |
| 45S56 | — | — | 45 | 432 | 37 | 44,474 |
| 6056 | — | 51 | 45 | 32,239 | 46 | 42,648 |
| PV 530G | — | — | — | — | 38 | 39,955 |
| 45S52 | 34 | 44 | 36 | 78,310 | 38 | 36,513 |
| 1012 RR | 35 | 41 | 35 | 33,486 | 37 | 36,361 |
| 45S54 | — | 46 | 35 | 82,284 | 38 | 35,447 |
| PV 531G | — | — | 32 | 1,876 | 32 | 35,087 |
| VT 500 G | 33 | 41 | 36 | 92,752 | 37 | 34,347 |
| L159 | 36 | 46 | 40 | 57,375 | 41 | 33,035 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| VR 9559 G | 33 | 45 | 39 | 93,896 | 43 | 32,761 |
| SY 4135 | — | — | 34 | 21,393 | 33 | 28,785 |
| 6060 RR | 35 | 44 | 39 | 48,565 | 40 | 21,842 |
| 45H76 | — | — | 41 | 3,688 | 39 | 21,481 |
| 1918 | 29 | 37 | 30 | 23,329 | 30 | 20,386 |
| 43E03 | — | — | 36 | 852 | 33 | 17,739 |
| 46H75 | 33 | 44 | 38 | 21,698 | 42 | 17,439 |
| D3153 | 36 | 42 | 36 | 46,749 | 36 | 15,463 |
| CS 2000 | — | — | — | — | 50 | 15,064 |
| VR 9561GS | — | — | 37 | 11,970 | 39 | 14,545 |
| 6044 RR | — | — | 35 | 18,207 | 42 | 12,336 |
| VR 9560 CL | 35 | 46 | 41 | 11,413 | 39 | 11,888 |
| L261 | — | — | 45 | 21,966 | 43 | 11,593 |
| 5525 CL | 31 | 41 | 36 | 10,464 | 38 | 10,744 |
| 43E02 | 22 | 36 | 29 | 18,513 | 30 | 10,338 |
| SY 4157 | — | — | — | — | 41 | 9,545 |
| 6040 RR | 33 | 40 | 35 | 9,640 | 37 | 9,487 |
| PV 533G | — | — | — | — | 38 | 8,918 |
| VT Remarkable | 27 | 35 | 32 | 11,922 | 31 | 8,760 |
| 2020 CL | — | — | — | — | 38 | 7,377 |
| L154 | 34 | 47 | 40 | 25,792 | 40 | 7,322 |
| 46A76 | 28 | 39 | 34 | 7,716 | 35 | 7,259 |
| L156 H | — | 44 | 41 | 19,703 | 43 | 7,049 |
| 73-55 RR | 34 | 41 | 30 | 20,110 | 36 | 7,044 |
| 6064 RR | — | — | — | — | 44 | 6,473 |
| Hyhear 1 | — | — | 26 | 1,025 | 23 | 6,365 |
| L160 S | — | — | 36 | 6,531 | 42 | 5,130 |
| SY 4105 | — | — | — | — | 43 | 4,298 |
| V12-1 | 31 | 43 | 40 | 12,776 | 37 | 4,057 |
| SY4114 | — | — | 37 | 3,414 | 36 | 4,042 |
| D3154 S | — | 46 | 37 | 9,228 | 39 | 3,878 |
| 75-65 RR | — | — | — | — | 41 | 3,840 |
| V12-2 | — | — | 40 | 9,106 | 34 | 3,735 |
| 45H73 | 33 | 42 | 32 | 10,856 | 33 | 3,554 |
| 5535 CL | 30 | 42 | 33 | 9,523 | 36 | 3,533 |
| PV 532G | — | — | 27 | 1,012 | 37 | 3,452 |
| 6050 RR | — | 39 | 39 | 8,058 | 38 | 3,294 |
| 2012 CL | 31 | 42 | 32 | 5,334 | 30 | 3,278 |
| 6074 RR | — | — | — | — | 46 | 3,209 |
| 1016 RR | 13 | 38 | 36 | 4,178 | 33 | 3,202 |
| 1960 | 31 | 41 | 34 | 1,263 | 34 | 3,049 |
| Canterra 1867 | 29 | 46 | 37 | 3,850 | 44 | 2,994 |
| 45S51 | 31 | 42 | 31 | 15,729 | 41 | 2,125 |
| IMC 140 | — | — | — | — | 50 | 2,043 |
| 1020 RR | — | — | — | — | 48 | 2,024 |
| VR 9350 G | 28 | 38 | 30 | 11,513 | 34 | 1,931 |
| Early One | 20 | 21 | 15 | 1,713 | 26 | 1,709 |
| 45H26 | 30 | 41 | — | — | 41 | 1,707 |
| 500 | 30 | 42 | 32 | 3,199 | 40 | 1,598 |
| Fusion | — | 40 | 34 | 1,573 | 36 | 1,594 |
| Red River 1861 | — | 34 | 28 | 7,609 | 20 | 1,455 |
| VT 510 G | — | — | — | — | 48 | 1,426 |
| VR 9553 G | 32 | 41 | 32 | 3,687 | 49 | 1,413 |
| 71-45RR | 33 | 41 | 40 | 1,432 | 41 | 1,387 |
| 74-47 CR | — | 45 | 40 | 4,569 | 45 | 1,222 |
| 45H32 | — | — | — | — | 50 | 1,070 |
| L170 S | — | — | — | — | 53 | 1,055 |
| 72-65 RR | 35 | 42 | 35 | 33,486 | 28 | 983 |
| 43E01 | 28 | 36 | 27 | 4,837 | 31 | 970 |
| 9554 | 33 | 42 | 38 | 2,975 | 42 | 828 |
| PV 200CL | — | — | — | — | 46 | 807 |
| 74-02 RR | — | — | — | — | 49 | 803 |
| 41P55 | — | — | — | — | 16 | 461 |
| Synergy | — | 26 | — | — | 36 | 319 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **42** | **4,461,601** |

## CANOLA IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L252 | — | — | 60 | 14,178 | 60 | 27,688 |
| 74-44 BL | 40 | 53 | 52 | 12,234 | 56 | 18,573 |
| 5440 | 48 | 61 | 57 | 23,755 | 59 | 16,496 |
| L130 | 41 | 62 | 55 | 10,367 | 61 | 5,858 |
| 1012 RR | 46 | 47 | 45 | 4,561 | 49 | 3,248 |
| 45S56 | — | — | — | — | 52 | 3,003 |
| L140 P | — | — | 58 | 1,061 | 60 | 2,584 |
| 45S54 | — | 60 | 48 | 5,142 | 52 | 2,221 |
| 1990 | — | 46 | 48 | 1,333 | 52 | 2,048 |

## CANOLA IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L159 | — | 54 | 57 | 3,512 | 57 | 1,669 |
| VR 9559 G | 42 | 53 | 46 | 2,845 | 48 | 1,615 |
| 2012 CL | 29 | 49 | 40 | 1,529 | 35 | 1,324 |
| L261 | — | — | 68 | 3,506 | 56 | 1,213 |
| PV 530G | — | — | — | — | 61 | 1,095 |
| 73-45 RR | 44 | 55 | 51 | 5,487 | 59 | 1,060 |
| VR 9562GC | — | — | — | — | 59 | 887 |
| D3153 | 40 | 43 | 61 | 1,545 | 56 | 832 |
| 74-54 RR | — | — | 50 | 2,314 | 57 | 795 |
| L150 | 46 | 53 | 58 | 2,124 | 52 | 737 |
| **Weighted Average Irrigated Canola yield (Bu.) & total acres§** | | | | | **56** | **102,341** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Copeland | 59 | 77 | 63 | 241,057 | 70 | 374,795 |
| CDC Austenson | 67 | 81 | 67 | 290,899 | 67 | 325,774 |
| Xena | 59 | 76 | 63 | 382,938 | 67 | 312,466 |
| AC Metcalfe | 55 | 69 | 59 | 254,232 | 60 | 274,891 |
| Champion | 66 | 83 | 69 | 241,615 | 67 | 197,070 |
| CDC Coalition | 67 | 81 | 73 | 90,670 | 70 | 85,460 |
| Bentley | 59 | 73 | 62 | 33,362 | 65 | 50,096 |
| CDC Meredith | 70 | 85 | 65 | 107,265 | 66 | 48,772 |
| CDC Cowboy | 51 | 62 | 51 | 57,444 | 40 | 46,307 |
| Newdale | 63 | 81 | 67 | 38,637 | 68 | 39,822 |
| Brahma | — | — | — | — | 76 | 26,887 |
| CDC Kindersley | 63 | 87 | 70 | 14,062 | 81 | 24,788 |
| Seebe | 46 | 69 | 58 | 26,610 | 50 | 22,171 |
| Ponoka | 54 | 74 | 68 | 24,187 | 73 | 18,485 |
| Conlon | 49 | 59 | 48 | 22,559 | 45 | 17,486 |
| Busby | 53 | 71 | 59 | 18,225 | 64 | 16,333 |
| Merit 57 | 69 | 83 | 75 | 11,315 | 91 | 13,753 |
| Sundre | 49 | 65 | 67 | 12,823 | 67 | 12,836 |
| Gadsby | 49 | 69 | 62 | 6,226 | 62 | 11,948 |
| AAC Synergy | — | — | 74 | 2,406 | 84 | 11,742 |
| CDC Thompson | 61 | 76 | 67 | 12,198 | 87 | 10,121 |
| Vivar | 73 | 80 | 72 | 9,424 | 69 | 9,136 |
| Stander | 59 | 72 | 71 | 10,033 | 76 | 7,202 |
| CDC Helgason | 56 | 70 | 58 | 7,006 | 59 | 7,021 |
| CDC Trey | 58 | 76 | 50 | 10,982 | 58 | 5,941 |
| Chigwell | 56 | 73 | 66 | 8,527 | 64 | 5,874 |
| CDC Maverick | — | 71 | 68 | 517 | 53 | 5,274 |
| Merit | — | 101 | — | — | 61 | 5,035 |
| Trochu | 55 | 77 | 68 | 4,924 | 70 | 5,004 |
| Bridge | 32 | 40 | 40 | 3,421 | 57 | 4,535 |
| Major | 67 | 80 | 79 | 5,365 | 70 | 3,788 |
| CDC Dolly | 44 | 52 | 41 | 7,472 | 42 | 3,495 |
| Falcon | 66 | 77 | 70 | 3,600 | 67 | 3,271 |
| Canmore | — | — | — | — | 67 | 3,102 |
| Legacy (BT 950) | 56 | 66 | 64 | 2,690 | 86 | 2,670 |
| CDC Battleford | 48 | 63 | 52 | 1,769 | 63 | 2,615 |
| AC Ranger | 70 | 75 | 55 | 2,109 | 56 | 2,394 |
| AC Lacombe | 41 | 59 | 60 | 1,488 | 36 | 2,294 |
| CDC PolarStar | 62 | 82 | 73 | 4,195 | 68 | 2,271 |
| Harrington | 42 | 45 | 45 | 1,964 | 47 | 2,097 |
| Amisk | — | — | — | — | 79 | 1,938 |
| CDC Bold | 64 | 84 | 55 | 1,905 | 85 | 1,515 |
| McLeod | 47 | 70 | 51 | 4,108 | 56 | 1,423 |
| CDC Yorkton | 53 | 67 | 41 | 1,982 | 73 | 1,117 |
| CDC Kendall | 56 | 60 | 48 | 1,251 | 54 | 1,046 |
| Formosa | 56 | 70 | 71 | 2,522 | 78 | 997 |
| Otal | 31 | 46 | 34 | 1,614 | 28 | 808 |
| Lacey | 64 | 76 | 67 | 1,551 | 82 | 772 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **66** | **2,043,800** |

## BARLEY IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Austenson | 78 | 87 | 89 | 24,579 | 94 | 21,527 |
| Xena | 80 | 96 | 91 | 24,943 | 95 | 16,010 |
| Champion | 86 | 90 | 81 | 12,093 | 89 | 8,506 |
| CDC Coalition | 88 | 97 | 101 | 5,344 | 101 | 8,148 |
| AC Metcalfe | 62 | 84 | 71 | 5,505 | 85 | 4,358 |
| CDC Copeland | 64 | 89 | 82 | 2,033 | 93 | 3,049 |
| Conlon | 70 | 86 | 85 | 1,585 | 91 | 2,728 |
| Brahma | — | — | — | — | 114 | 2,655 |
| Vivar | 90 | 104 | 93 | 3,164 | 107 | 2,263 |
| CDC Meredith | 64 | 95 | 85 | 2,419 | 90 | 2,199 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

**BARLEY IRRIGATED YIELDS BY VARIETY 2012–2015†** — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Amisk | — | — | — | — | 108 | 1,731 |
| CDC Thompson | — | 111 | 94 | 4,848 | 108 | 1,514 |
| Muskwa | — | 93 | 105 | 2,495 | 103 | 1,386 |
| Canmore | — | — | — | — | 98 | 584 |
| **Weighted Average Irrigated Barley yield (Bu.) & total acres§** | | | | | **94** | **82,210** |

**PEA DRYLAND YIELDS BY VARIETY 2012–2015†** — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 43 | 52 | 41 | 580,870 | 32 | 721,531 |
| CDC Saffron | — | 54 | 43 | 13,649 | 35 | 71,460 |
| CDC Striker | 46 | 55 | 49 | 67,767 | 38 | 57,374 |
| Thunderbird | 39 | 48 | 39 | 22,750 | 28 | 24,341 |
| CDC Raezer | — | — | 47 | 967 | 40 | 16,342 |
| CDC Patrick | 32 | 39 | 36 | 25,014 | 36 | 15,205 |
| CDC Golden | 36 | 41 | 36 | 22,288 | 23 | 15,068 |
| Cooper | 38 | 51 | 53 | 16,105 | 42 | 14,697 |
| Delta Fld Pea | 45 | 48 | 41 | 38,892 | 17 | 13,704 |
| SW Midas | 36 | 53 | 40 | 15,555 | 37 | 9,462 |
| CDC Pluto | — | 49 | 43 | 5,197 | 28 | 6,945 |
| CDC Hornet | — | 44 | 38 | 4,578 | 29 | 6,674 |
| Garde | 39 | 53 | 45 | 5,317 | 43 | 6,604 |
| CDC Limerick | — | — | 38 | 610 | 42 | 6,339 |
| CDC Centennial | 38 | 39 | 49 | 9,612 | 35 | 6,206 |
| Sorento | 40 | 58 | 46 | 2,412 | 34 | 5,018 |
| CDC Tetris | — | — | 40 | 2,923 | 37 | 4,225 |
| Cutlass F.P. | 35 | 53 | 29 | 6,320 | 35 | 3,272 |
| Canstar | 41 | 45 | 51 | 3,610 | 36 | 2,814 |
| Profi | 38 | 42 | 38 | 1,306 | 29 | 1,883 |
| Abarth | — | — | — | — | 35 | 1,862 |
| Eclipse | 39 | 50 | 36 | 2,511 | 26 | 1,841 |
| Carneval | 32 | 34 | 26 | 1,191 | 22 | 1,622 |
| CDC Amerillo | — | — | — | — | 39 | 1,513 |
| Marrowfat | — | — | — | — | 25 | 1,484 |
| DS-Admiral | 32 | 38 | 31 | 3,134 | 19 | 1,301 |
| Swing | 39 | — | — | — | 32 | 1,080 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **33** | **1,037,375** |

**PEA IRRIGATED YIELDS BY VARIETY 2012–2015†** — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 50 | 57 | 50 | 7,256 | 57 | 11,328 |
| CDC Saffron | — | — | — | — | 68 | 825 |
| **Weighted Average Irrigated Pea yield (Bu.) & total acres§** | | | | | **56** | **15,474** |

**OATS DRYLAND YIELDS BY VARIETY 2012–2015†** — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | 82 | 103 | 84 | 105,289 | 73 | 114,905 |
| AC Mustang | 65 | 83 | 73 | 24,367 | 66 | 24,976 |
| Derby | 58 | 94 | 71 | 21,143 | 59 | 23,025 |
| CDC Baler | 66 | 73 | 59 | 10,666 | 31 | 9,494 |
| Waldern | 55 | 63 | 51 | 5,031 | 47 | 5,371 |
| CDC SO-I | 86 | 98 | 94 | 2,493 | 45 | 2,977 |
| Calibre | 58 | 67 | 51 | 2,560 | 32 | 2,958 |
| Triactor | 63 | 109 | 91 | 2,326 | 67 | 2,234 |
| CDC Nasser | — | — | 87 | 1,210 | 59 | 1,822 |
| CDC Haymaker | — | — | 46 | 460 | 68 | 1,530 |
| 7600M | 64 | 74 | — | — | 47 | 1,328 |
| Grizzly | 64 | 85 | 68 | 1,146 | 64 | 1,169 |
| Cascade | 48 | 55 | 70 | 1,862 | 47 | 1,104 |
| Lu | 34 | — | — | — | 79 | 677 |
| Murphy | — | 84 | — | — | 31 | 550 |
| AC Juniper | 48 | 68 | 68 | 481 | 92 | 388 |
| Foothill | — | 69 | 62 | 515 | 36 | 352 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **66** | **199,967** |

**OATS IRRIGATED YIELDS BY VARIETY 2012–2015†** — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | — | 102 | 65 | 775 | 94 | 1,441 |
| AC Mustang | — | 87 | 61 | 509 | 77 | 801 |
| **Weighted Average Irrigated Oats yield (Bu.) & total acres§** | | | | | **89** | **3,669** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## LENTIL DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Maxim | 1,886 | 2,349 | 1,679 | 54,606 | 1,193 | 96,631 |
| CDC Dazil | — | 1,718 | 1,651 | 12,072 | 1,305 | 24,228 |
| CDC Imax | — | — | — | — | 1,313 | 6,616 |
| CDC Imperial | — | — | — | — | 1,531 | 3,050 |
| CDC Improve | 1,444 | 1,926 | 1,309 | 1,890 | 880 | 2,410 |
| **Weighted Average Dryland Lentil yield (Lbs.) & total acres§** | | | | | **1,214** | **146,168** |

## FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Glas | — | — | 28 | 8,859 | 28 | 17,031 |
| CDC Sorrel | 24 | 30 | 24 | 16,925 | 24 | 13,196 |
| Prairie Sapphire | 18 | 33 | 25 | 12,935 | 24 | 9,932 |
| AAC Bravo | — | — | 37 | 837 | 23 | 4,816 |
| Hanley | 23 | 26 | 24 | 5,977 | 24 | 4,266 |
| CDC Bethune | 24 | 31 | 25 | 3,715 | 20 | 3,807 |
| CDC Sanctuary | — | — | 23 | 1,777 | 30 | 3,208 |
| Prairie Grande | — | 37 | 26 | 2,831 | 27 | 2,549 |
| Westlin 70 | — | — | 20 | 1,453 | 20 | 1,766 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **25** | **62,628** |

## FLAX IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Glas | — | — | 35 | 4,262 | 42 | 8,238 |
| Prairie Sapphire | 36 | 43 | 38 | 11,752 | 38 | 7,491 |
| Westlin 70 | — | — | — | — | 36 | 2,767 |
| CDC Bethune | 35 | 42 | 39 | 3,409 | 41 | 2,146 |
| CDC Sorrel | 32 | 38 | 34 | 3,175 | 29 | 1,993 |
| Hanley | 26 | 37 | 32 | 1,739 | 44 | 710 |
| Westlin 71 | — | — | — | — | 42 | 616 |
| **Weighted Average Irrigated Flax yield (Bu.) & total acres§** | | | | | **39** | **25,865** |

## FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Snowbird | 2,741 | 3,165 | 2,742 | 41,484 | 2,053 | 53,922 |
| CDC Snowdrop | — | — | — | — | 1,881 | 4,820 |
| Malik | — | — | — | — | 1,296 | 3,658 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **2,003** | **62,944** |

## FABA BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Malik | — | — | — | — | 4,106 | 3,275 |
| Snowbird | 2,051 | 3,351 | 2,675 | 1,699 | 3,177 | 915 |
| **Weighted Average Irrigated Faba Bean yield (Lbs.) & total acres§** | | | | | **3,896** | **4,845** |

## MUSTARD DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Andante (Yellow) | 15 | 19 | 16 | 50,628 | 15 | 37,589 |
| AC Pennant (Yellow) | 15 | 19 | 18 | 9,145 | 13 | 8,769 |
| Centennial Brown (Brown) | 17 | 19 | 20 | 12,925 | 15 | 6,587 |
| Forge (Oriental) | — | — | 24 | 1,867 | 19 | 2,238 |
| **Weighted Average Dryland Mustard yield (Bu.) & total acres§** | | | | | **14** | **58,997** |

## BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Island (Pinto) | 2,454 | 2,555 | 2,472 | 16,881 | 2,693 | 15,910 |
| Resolute (Great Northern) | 2,232 | 2,636 | 2,484 | 15,878 | 2,643 | 13,159 |
| AC Black Diamond (Black) | 2,148 | 2,037 | 2,251 | 3,759 | 2,487 | 3,547 |
| AC Redbond (Small Red) | 2,056 | 2,595 | 2,439 | 1,839 | 2,672 | 3,481 |
| Myasi yellow (Black) | 2,708 | 2,968 | 2,257 | 3,014 | 2,717 | 3,216 |
| AAC Tundra (Great Northern) | — | — | — | — | 2,511 | 2,456 |
| Medicine Hat (Pinto) | 2,391 | 2,546 | 2,303 | 2,806 | 2,943 | 1,615 |
| Winchester Pinto (Pinto) | 2,301 | 2,714 | 2,532 | 1,327 | 2,677 | 916 |
| **Weighted Average Irrigated Bean yield (Lbs.) & total acres§** | | | | | **2,657** | **45,796** |

## POTATO IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Russet Burbank (Fry) | 17 | 19 | 18 | 25,158 | 21 | 25,557 |
| AC LR Russet Burbank (Fry) | — | — | 17 | 3,993 | 22 | 3,169 |
| Shepody (Fry) | 16 | 16 | 16 | 1,864 | 19 | 1,807 |
| FL 2053 (Chip) | 14 | — | — | — | 15 | 1,129 |
| FL 1867 (Chip) | — | 16 | 14 | 1,053 | 17 | 1,022 |
| FL 2137 (Chip) | — | — | — | — | 16 | 1,005 |
| Ranger Russet (Fry) | — | 15 | 17 | 765 | 19 | 926 |
| Vigor (Chip) | — | — | — | — | 19 | 596 |
| Atlantic (Chip) | 13 | 14 | 14 | 461 | 16 | 552 |
| **Weighted Average Irrigated Potato yield (Tons) & total acres§** | | | | | **20** | **37,639** |

## SUGAR BEET IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| HM 9221RR | — | — | 31 | 9,103 | 28 | 9,021 |
| Beta 49RR33 | 31 | 30 | 30 | 2,471 | 28 | 4,016 |
| HM 9328RR | — | — | — | — | 31 | 3,741 |
| SV 36152RR | — | — | 32 | 7,981 | 29 | 3,094 |
| **Weighted Average Irrigated Sugar Beet yield (Tons) & total acres§** | | | | | **29** | **20,526** |

## TRITICALE DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Pronghorn (Spring) | 36 | 53 | 54 | 3,791 | 34 | 2,912 |
| Tyndal (Spring) | 45 | 66 | 53 | 1,955 | 40 | 2,341 |
| Bunker (Spring) | 34 | 54 | 31 | 2,371 | 15 | 2,061 |
| Taza (Spring) | — | — | 62 | 845 | 53 | 1,456 |
| **Weighted Average Dryland Triticale yield (Bu.) & total acres§** | | | | | **34** | **12,570** |

## TRITICALE IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Tyndal (Spring) | 113 | 126 | — | — | 115 | 1,470 |
| Sunray (Spring) | — | — | — | — | 79 | 635 |
| **Weighted Average Irrigated Triticale yield (Bu.) & total acres§** | | | | | **94** | **3,124** |

## RYE DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Prima (Fall) | 47 | 52 | 41 | 2,794 | 48 | 3,851 |
| Hazlet (Fall) | — | — | 41 | 2,063 | 49 | 3,594 |
| AC Rifle (Fall) | — | — | — | — | 34 | 1,469 |
| Musketeer (Fall) | 41 | 55 | 42 | 886 | 43 | 936 |
| AC Remington (Fall) | 44 | — | 33 | 807 | 31 | 456 |
| **Weighted Average Dryland Rye yield (Bu.) & total acres§** | | | | | **44** | **12,454** |

## CHICKPEAS DRYLAND YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Orion (Kabuli) | — | 2,751 | 1,278 | 7,945 | 1,939 | 3,697 |
| **Weighted Average Dryland Chickpeas yield (Lbs.) & total acres§** | | | | | **1,874** | **3,861** |

## SUNFLOWER IRRIGATED YIELDS BY VARIETY 2012–2015† — ALBERTA

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Panther | 1,514 | — | 1,853 | 2,611 | 2,600 | 1,674 |
| 6946 | 1,371 | 2,280 | — | — | 2,630 | 905 |
| **Weighted Average Irrigated Sunflower yield (Lbs.) & total acres§** | | | | | **2,655** | **2,867** |

# RISK AREA 1

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 1

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| 74-44 BL | — | — | 30 | 7,298 | 37 | 6,828 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **37** | **11,698** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 1

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Champion | — | — | 72 | 10,181 | 69 | 10,186 |
| Xena | 73 | 59 | 50 | 7,942 | 76 | 8,617 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **70** | **24,555** |

† Yields only for those varieties grown by 5 or more producers;
‡ On system as of January 18, 2016;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.

Dow AgroSciences



# **PROFIT** FLOWS.

From high-yielding seed genetics to heart-healthy Omega-9 Oils — only Nexera™ canola reflects a growing value chain that produces the highest returns per acre, year after year.

**GROW WITH NEXERA. EXPERIENCE THE PROFIT.™**

*Solutions for the Growing World*

healthierprofits.ca

Nexera™
CANOLA

# RISK AREA 2

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Lillian (HRS) | 39 | 49 | 43 | 102,254 | 45 | 66,802 |
| Transcend (D) | — | 60 | 45 | 19,053 | 47 | 38,494 |
| Stettler (HRS) | 49 | 57 | 47 | 42,357 | 52 | 31,992 |
| CDC Go (HRS) | 51 | 58 | 47 | 27,166 | 50 | 27,438 |
| Strongfield (D) | 49 | 53 | 43 | 23,884 | 40 | 23,176 |
| Harvest (HRS) | 46 | 60 | 47 | 24,628 | 53 | 18,332 |
| CDC Utmost (HRS) | 48 | 60 | 46 | 15,349 | 51 | 16,570 |
| CDC Abound (HRS) | 42 | 52 | 44 | 14,105 | 50 | 15,716 |
| CDC Stanley (HRS) | — | 59 | 43 | 10,336 | 50 | 14,214 |
| CDC Verona (D) | 59 | 49 | 41 | 8,829 | 44 | 12,994 |
| Carberry (HRS) | 44 | 55 | 41 | 10,639 | 48 | 12,837 |
| Radiant (HRW) | 62 | 61 | 61 | 15,879 | 54 | 11,369 |
| Conquer (CPS) | — | — | 52 | 4,475 | 55 | 9,002 |
| AAC Raymore (D) | — | — | — | — | 52 | 4,583 |
| Cardale (HRS) | — | — | 55 | 2,085 | 42 | 4,373 |
| Glenn (HRS) | 36 | 58 | 47 | 2,427 | 47 | 3,970 |
| WR 859 CL (HRS) | 42 | 41 | 34 | 4,659 | 36 | 3,955 |
| Moats (HRW) | — | — | 68 | 2,031 | 55 | 3,920 |
| Enterprise (D) | 56 | 60 | 53 | 6,584 | 44 | 3,879 |
| Superb (HRS) | 43 | 52 | 55 | 17,343 | 33 | 3,851 |
| Pasteur (CPS) | — | — | — | — | 62 | 3,826 |
| Muchmore (HRS) | — | — | 49 | 1,571 | 52 | 3,603 |
| CDC VR Morris (HRS) | — | — | 60 | 1,028 | 70 | 3,480 |
| 5604HR CL (HRS) | — | 44 | 48 | 2,043 | 48 | 3,121 |
| AC Avonlea (D) | 44 | 46 | 41 | 1,925 | 36 | 2,356 |
| Sadash (SWS) | — | 67 | 63 | 3,411 | 71 | 1,703 |
| AC Eatonia (HRS) | 37 | 49 | 34 | 1,879 | 32 | 1,324 |
| Brigade (D) | — | — | 43 | 1,718 | 49 | 1,310 |
| AC Bellatrix (HRW) | 65 | — | 32 | 1,540 | 51 | 1,291 |
| AAC Elie (HRS) | — | — | — | — | 49 | 669 |
| AC Tempest (HRW) | — | — | — | — | 50 | 177 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **49** | **374,981** |

## WHEAT IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Sadash (SWS) | 80 | 95 | 89 | 8,913 | 75 | 10,485 |
| Carberry (HRS) | 67 | 74 | 73 | 12,446 | 75 | 10,314 |
| Transcend (D) | — | — | 84 | 1,144 | 78 | 3,931 |
| CDC Abound (HRS) | 68 | 83 | 76 | 5,496 | 77 | 3,748 |
| CDC Go (HRS) | 71 | 63 | 69 | 6,035 | 82 | 3,346 |
| CDC Verona (D) | 68 | 59 | 66 | 2,144 | 75 | 3,164 |
| AAC Elie (HRS) | — | — | — | — | 86 | 2,617 |
| Stettler (HRS) | 66 | 72 | 63 | 6,968 | 68 | 2,552 |
| AAC Redwater (HRS) | — | — | — | — | 81 | 2,411 |
| Strongfield (D) | 76 | 90 | 73 | 1,149 | 76 | 2,174 |
| Flourish (HRW) | — | — | — | — | 105 | 1,769 |
| Cardale (HRS) | — | — | 80 | 1,576 | 84 | 1,508 |
| Radiant (HRW) | 87 | 82 | 88 | 6,370 | 90 | 1,463 |
| Glenn (HRS) | 67 | 70 | 82 | 993 | 77 | 1,412 |
| Conquer (CPS) | — | — | — | — | 80 | 1,378 |
| Pasteur (CPS) | — | — | — | — | 90 | 1,106 |
| AC Tempest (HRW) | 90 | 58 | — | — | 96 | 591 |
| **Weighted Average Irrigated Wheat yield (Bu.) & total acres§** | | | | | **78** | **68,478** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| 74-44 BL | — | 44 | 34 | 79,846 | 40 | 83,220 |
| L252 | — | — | 43 | 24,307 | 43 | 55,162 |
| L130 | 36 | 45 | 39 | 29,829 | 43 | 24,210 |
| 5440 | 34 | 43 | 37 | 47,708 | 39 | 23,551 |
| 1012 RR | 33 | 43 | 36 | 16,958 | 38 | 14,488 |
| L140 P | — | — | 33 | 2,176 | 40 | 9,572 |
| 73-45 RR | 34 | 39 | 30 | 13,817 | 30 | 8,439 |
| SY 4135 | — | — | 36 | 4,511 | 36 | 7,355 |
| 74-54 RR | — | — | 32 | 13,991 | 34 | 5,706 |
| L159 | 27 | 40 | 39 | 4,441 | 41 | 4,603 |
| 45S56 | — | — | — | — | 40 | 3,434 |
| 45S52 | 33 | 44 | 31 | 4,129 | 43 | 3,367 |
| 45H31 | 35 | 40 | — | — | 41 | 3,015 |
| 1990 | 30 | 47 | 33 | 6,085 | 40 | 2,956 |
| 45S54 | — | 50 | 38 | 6,476 | 40 | 2,720 |
| L261 | — | — | 39 | 3,456 | 36 | 2,506 |
| D3153 | — | — | 30 | 4,834 | 30 | 2,418 |
| PV 531G | — | — | — | — | 41 | 1,443 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **40** | **283,303** |

## CANOLA IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L252 | — | — | 59 | 6,653 | 60 | 16,123 |
| 74-44 BL | — | 49 | 51 | 8,356 | 60 | 8,213 |
| 5440 | 47 | 62 | 60 | 10,227 | 60 | 6,137 |
| L130 | 44 | 63 | 57 | 4,401 | 62 | 2,985 |
| 1012 RR | 45 | 46 | 51 | 1,921 | 52 | 1,651 |
| 45S54 | — | 64 | 53 | 2,299 | 57 | 1,286 |
| 45S56 | — | — | — | — | 57 | 1,213 |
| L140 P | — | — | — | — | 58 | 1,195 |
| 1990 | — | 46 | — | — | 50 | 547 |
| **Weighted Average Irrigated Canola yield (Bu.) & total acres§** | | | | | **59** | **45,101** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Xena | 64 | 77 | 62 | 102,445 | 71 | 84,717 |
| CDC Austenson | 72 | 82 | 61 | 43,193 | 67 | 42,760 |
| Champion | 79 | 83 | 68 | 47,683 | 80 | 39,552 |
| AC Metcalfe | 55 | 63 | 60 | 27,196 | 61 | 28,873 |
| CDC Copeland | 61 | 66 | 56 | 19,257 | 67 | 28,109 |
| CDC Meredith | 72 | 87 | 66 | 22,728 | 73 | 10,064 |
| Merit 57 | — | 84 | 76 | 9,733 | 99 | 10,023 |
| CDC Coalition | 65 | 69 | 59 | 3,646 | 69 | 6,090 |
| Bridge | 40 | 38 | — | — | 62 | 3,494 |
| Brahma | — | — | — | — | 84 | 3,153 |
| CDC Cowboy | 62 | 64 | 55 | 3,101 | 43 | 2,813 |
| Ponoka | 43 | 61 | 59 | 2,208 | 64 | 2,353 |
| Conlon | — | 50 | 37 | 1,601 | 26 | 1,685 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **71** | **273,708** |

## BARLEY IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Austenson | 75 | 87 | 91 | 10,010 | 84 | 8,250 |
| Xena | 84 | 99 | 99 | 12,410 | 96 | 7,281 |
| CDC Coalition | 88 | 108 | 106 | 3,464 | 104 | 6,963 |
| Champion | 88 | 89 | 80 | 8,786 | 93 | 5,472 |
| AC Metcalfe | 64 | 85 | 68 | 3,621 | 102 | 1,766 |
| Vivar | 98 | 108 | 96 | 2,809 | 109 | 1,610 |
| CDC Copeland | 66 | 73 | 83 | 1,628 | 71 | 1,020 |
| Canmore | — | — | — | — | 98 | 584 |
| **Weighted Average Irrigated Barley yield (Bu.) & total acres§** | | | | | **96** | **40,921** |

## PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 50 | 55 | 47 | 102,409 | 39 | 114,385 |
| CDC Saffron | — | — | 43 | 4,107 | 45 | 15,438 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **40** | **137,737** |

## PEA IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 55 | 48 | 58 | 940 | 62 | 3,479 |
| **Weighted Average Irrigated Pea yield (Bu.) & total acres§** | | | | | **63** | **3,969** |

## OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Mustang | 65 | 72 | 57 | 1,354 | 62 | 1,703 |
| AC Morgan | 73 | — | — | — | 63 | 499 |
| CDC Baler | — | — | 44 | 270 | 31 | 472 |
| Waldern | — | — | — | — | 76 | 340 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **53** | **3,782** |

## OATS IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | — | — | — | — | 70 | 440 |
| **Weighted Average Irrigated Oats yield (Bu.) & total acres§** | | | | | **87** | **1,370** |

## LENTIL DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Maxim | — | — | — | — | 1,633 | 2,553 |
| **Weighted Average Dryland Lentil yield (Lbs.) & total acres§** | | | | | **1,687** | **3,286** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Prairie Sapphire | — | 40 | 32 | 3,115 | 29 | 4,013 |
| CDC Sanctuary | — | — | 22 | 1,612 | 29 | 2,898 |
| CDC Sorrel | 26 | 30 | 22 | 2,735 | 28 | 1,694 |
| Westlin 70 | — | — | — | — | 17 | 1,315 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **26** | **12,153** |

## FLAX IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Prairie Sapphire | — | — | 40 | 2,395 | 40 | 1,567 |
| Westlin 70 | — | — | — | — | 34 | 1,037 |
| **Weighted Average Irrigated Flax yield (Bu.) & total acres§** | | | | | **39** | **4,805** |

## MUSTARD DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Andante (Yellow) | 14 | 17 | 15 | 6,421 | 16 | 6,387 |
| **Weighted Average Dryland Mustard yield (Bu.) & total acres§** | | | | | **16** | **6,547** |

## BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Island (Pinto) | 2,416 | 2,245 | 2,326 | 1,282 | 2,848 | 1,240 |
| Resolute (Great Northern) | 2,441 | 2,003 | 2,484 | 1,655 | 2,652 | 1,163 |
| **Weighted Average Irrigated Bean yield (Lbs.) & total acres§** | | | | | **2,748** | **2,481** |

## POTATO IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Russet Burbank (Fry) | 19 | 20 | 16 | 2,072 | 21 | 1,788 |
| **Weighted Average Irrigated Potato yield (Tons) & total acres§** | | | | | **22** | **2,416** |

## SUGAR BEET IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 2

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| HM 9221RR | — | — | 32 | 2,066 | 30 | 2,673 |
| Beta 49RR33 | 30 | 27 | 28 | 477 | 30 | 479 |
| SV 36152RR | — | — | 31 | 1,028 | 29 | 396 |
| **Weighted Average Irrigated Sugar Beet yield (Tons) & total acres§** | | | | | **30** | **3,807** |

# RISK AREA 3

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Strongfield (D) | 50 | 54 | 43 | 92,054 | 35 | 107,770 |
| Lillian (HRS) | 40 | 47 | 40 | 105,162 | 32 | 72,065 |
| Brigade (D) | 57 | 65 | 45 | 25,614 | 37 | 52,899 |
| Transcend (D) | — | 54 | 41 | 22,541 | 36 | 46,908 |
| Carberry (HRS) | 42 | 52 | 45 | 21,799 | 35 | 28,517 |
| AC Eatonia (HRS) | 42 | 50 | 36 | 51,598 | 31 | 28,513 |
| CDC Verona (D) | 54 | 53 | 41 | 25,428 | 37 | 27,973 |
| CDC Go (HRS) | 53 | 55 | 43 | 24,964 | 41 | 20,546 |
| AAC Raymore (D) | — | — | — | — | 34 | 11,661 |
| Radiant (HRW) | 56 | 64 | 52 | 18,927 | 38 | 9,882 |
| Cardale (HRS) | — | — | 42 | 2,525 | 39 | 8,858 |
| Stettler (HRS) | 41 | 63 | 39 | 12,688 | 39 | 8,740 |
| AC Navigator (D) | 52 | 53 | 40 | 8,310 | 30 | 8,292 |
| AC Avonlea (D) | 48 | 49 | 43 | 6,234 | 32 | 8,238 |
| Moats (HRW) | — | — | 52 | 6,218 | 36 | 6,053 |
| CDC Abound (HRS) | 41 | 47 | 36 | 6,143 | 39 | 4,443 |
| CDC Fortitude (D) | — | — | — | — | 34 | 4,215 |
| Superb (HRS) | 40 | 56 | 36 | 7,596 | 37 | 4,195 |
| Glenn (HRS) | 44 | 44 | 48 | 5,507 | 35 | 3,937 |
| Enterprise (D) | — | 56 | 49 | 2,075 | 34 | 3,662 |
| Kyle (D) | 39 | 36 | 29 | 2,782 | 18 | 2,955 |
| CDC Utmost (HRS) | — | — | 41 | 3,190 | 45 | 2,400 |
| AAC Redwater (HRS) | — | — | — | — | 36 | 2,151 |
| Muchmore (HRS) | — | — | 31 | 971 | 34 | 2,069 |
| AAC Elie (HRS) | — | — | — | — | 34 | 1,870 |
| CDC Stanley (HRS) | — | 62 | — | — | 40 | 1,198 |
| AAC Brandon (HRS) | — | — | — | — | 53 | 1,052 |
| Sadash (SWS) | — | 47 | — | — | 63 | 1,041 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **35** | **496,745** |

## WHEAT IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Carberry (HRS) | 73 | 77 | 82 | 31,312 | 78 | 21,881 |
| CDC Go (HRS) | 77 | 87 | 92 | 24,925 | 87 | 21,711 |
| Strongfield (D) | 77 | 91 | 81 | 11,198 | 93 | 16,032 |
| Cardale (HRS) | — | — | 88 | 12,560 | 83 | 13,491 |
| Radiant (HRW) | 82 | 88 | 80 | 6,127 | 92 | 5,720 |
| Transcend (D) | — | 79 | 83 | 2,167 | 77 | 5,701 |
| AAC Brandon (HRS) | — | — | — | — | 89 | 4,420 |
| CDC Verona (D) | 78 | 87 | 82 | 4,932 | 87 | 3,880 |
| Superb (HRS) | 72 | 79 | 83 | 5,043 | 76 | 3,681 |
| AAC Elie (HRS) | — | — | — | — | 83 | 3,237 |
| CDC Abound (HRS) | 65 | 71 | 74 | 5,074 | 74 | 3,035 |
| Muchmore (HRS) | — | — | 75 | 609 | 92 | 2,489 |
| AAC Raymore (D) | — | — | — | — | 82 | 2,348 |
| CDC Fortitude (D) | — | — | — | — | 91 | 1,777 |
| Sadash (SWS) | 84 | 93 | — | — | 28 | 1,268 |
| Stettler (HRS) | 74 | 84 | 83 | 4,193 | 75 | 1,049 |
| Pasteur (CPS) | — | — | — | — | 91 | 773 |
| **Weighted Average Irrigated Wheat yield (Bu.) & total acres§** | | | | | **83** | **120,781** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L140 P | — | — | 33 | 3,594 | 33 | 23,485 |
| 5440 | 33 | 42 | 31 | 15,104 | 34 | 13,133 |
| 74-44 BL | — | 40 | 33 | 6,306 | 32 | 8,847 |
| L130 | 35 | 46 | 35 | 21,986 | 32 | 8,736 |
| L252 | — | — | 32 | 6,176 | 35 | 7,825 |
| L159 | 35 | 38 | 32 | 6,184 | 21 | 4,322 |
| 1012 RR | 35 | 38 | 30 | 1,990 | 24 | 2,689 |
| SY 4135 | — | — | — | — | 35 | 2,371 |
| 73-45 RR | 31 | 42 | 23 | 3,317 | 33 | 2,241 |
| 45S52 | — | 33 | 29 | 2,649 | 32 | 1,914 |

## Trait Stewardship Responsibilities Notice to Farmers

**Monsanto Company is a member of Excellence Through Stewardship® (ETS).** Monsanto products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Monsanto's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

**ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready®** crops contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate. Acceleron® seed treatment technology for canola contains the active ingredients difenoconazole, metalaxyl (M and S isomers), fludioxonil and thiamethoxam. Acceleron® seed treatment technology for canola plus Vibrance® is a combination of two separate individually-registered products, which together contain the active ingredients difenoconazole, metalaxyl (M and S isomers), fludioxonil, thiamethoxam, and sedaxane. Acceleron® seed treatment technology for corn (fungicides and insecticide) is a combination of four separate individually-registered products, which together contain the active ingredients metalaxyl, trifloxystrobin, ipconazole, and clothianidin. Acceleron® seed treatment technology for corn (fungicides only) is a combination of three separate individually-registered products, which together contain the active ingredients metalaxyl, trifloxystrobin and ipconazole. Acceleron® seed treatment technology for corn with Poncho®/VoTivo™ (fungicides, insecticide and nematicide) is a combination of five separate individually-registered products, which together contain the active ingredients metalaxyl, trifloxystrobin, ipconazole, clothianidin and Bacillus firmus strain I-1582. Acceleron® seed treatment technology for soybeans (fungicides and insecticide) is a combination of four separate individually registered products, which together contain the active ingredients fluxapyroxad, pyraclostrobin, metalaxyl and imidacloprid. Acceleron® seed treatment technology for soybeans (fungicides only) is a combination of three separate individually registered products, which together contain the active ingredients fluxapyroxad, pyraclostrobin and metalaxyl. Acceleron and Design®, Acceleron®, DEKALB and Design®, DEKALB®, Genuity and Design®, Genuity®, JumpStart®, RIB Complete and Design®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Yield®, Roundup Ready®, Roundup Transorb®, Roundup WeatherMAX®, Roundup®, SmartStax and Design®, SmartStax®, Transorb®, VT Double PRO®, and VT Triple PRO® are registered trademarks of Monsanto Technology LLC, Used under license. Vibrance® and Fortenza® are registered trademarks of a Syngenta group company. LibertyLink® and the Water Droplet Design are trademarks of Bayer. Used under license. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license. Poncho® and Votivo™ are trademarks of Bayer. Used under license. All other trademarks are the property of their respective owners.

Roundup Ready 2 TECHNOLOGY®

LIBERTY LINK® CORN

† Yields only for those varieties grown by 5 or more producers;
‡ On system as of January 18, 2016;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L150 | 34 | 44 | 34 | 6,316 | 26 | 1,774 |
| L120 | 32 | 41 | 28 | 5,423 | 31 | 1,602 |
| 74-54 RR | — | — | 31 | 1,615 | 37 | 958 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **31** | **90,170** |

## CANOLA IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L252 | — | — | 63 | 3,788 | 61 | 4,531 |
| 74-44 BL | — | 63 | 63 | 1,717 | 53 | 3,550 |
| 5440 | 53 | 62 | 61 | 2,278 | 59 | 2,638 |
| 1012 RR | — | — | 41 | 913 | 46 | 1,492 |
| L159 | — | 51 | 54 | 1,083 | 56 | 1,405 |
| L140 P | — | — | — | — | 69 | 559 |
| **Weighted Average Irrigated Canola yield (Bu.) & total acres§** | | | | | **53** | **21,819** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Metcalfe | 59 | 61 | 55 | 24,020 | 43 | 20,320 |
| Xena | 70 | 72 | 67 | 25,636 | 55 | 19,547 |
| CDC Austenson | 66 | 74 | 66 | 15,898 | 60 | 13,701 |
| CDC Copeland | 61 | 67 | 51 | 5,207 | 44 | 9,786 |
| CDC Coalition | 71 | 76 | 65 | 4,214 | 52 | 6,418 |
| Conlon | 51 | 45 | 49 | 6,687 | 36 | 5,838 |
| CDC Meredith | 66 | 71 | 59 | 3,843 | 59 | 5,100 |
| Merit | — | — | — | — | 60 | 4,872 |
| Champion | 77 | 76 | 47 | 4,464 | 49 | 4,793 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **50** | **98,200** |

## BARLEY IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Austenson | 85 | 91 | 91 | 8,593 | 104 | 8,903 |
| Xena | 90 | 90 | 106 | 4,313 | 94 | 2,629 |
| Champion | 84 | 100 | 82 | 998 | 96 | 1,489 |
| Muskwa | — | 87 | 103 | 1,987 | 103 | 1,386 |
| AC Metcalfe | 60 | — | 74 | 1,120 | 87 | 1,034 |
| CDC Coalition | 88 | 87 | 92 | 1,880 | 81 | 1,005 |
| CDC Copeland | — | — | — | — | 120 | 906 |
| **Weighted Average Irrigated Barley yield (Bu.) & total acres§** | | | | | **98** | **19,967** |

## PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 42 | 49 | 40 | 133,103 | 26 | 130,567 |
| CDC Saffron | — | — | 52 | 1,654 | 28 | 19,719 |
| Delta Fld Pea | 47 | 48 | 42 | 29,931 | 19 | 9,328 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **25** | **171,330** |

## PEA IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 49 | 56 | 52 | 3,301 | 54 | 4,477 |
| **Weighted Average Irrigated Pea yield (Bu.) & total acres§** | | | | | **54** | **6,279** |

## OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | — | — | 50 | 156 | 37 | 846 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **36** | **2,470** |

## OATS IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | — | — | — | — | 92 | 389 |
| **Weighted Average Irrigated Oats yield (Bu.) & total acres§** | | | | | **84** | **671** |

## LENTIL DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Maxim | 2,078 | 2,556 | 1,824 | 37,633 | 1,367 | 57,464 |
| CDC Dazil | — | — | 1,602 | 9,857 | 1,377 | 16,614 |
| CDC Imax | — | — | — | — | 1,313 | 6,616 |
| **Weighted Average Dryland Lentil yield (Lbs.) & total acres§** | | | | | **1,364** | **93,368** |

## FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Sorrel | 24 | 28 | 22 | 1,657 | 18 | 2,915 |
| CDC Glas | — | — | 17 | 1,135 | 21 | 2,908 |
| Prairie Sapphire | — | 29 | 23 | 3,069 | 17 | 807 |
| CDC Bethune | — | — | 17 | 464 | 13 | 492 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **20** | **7,982** |

## FLAX IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Glas | — | — | 37 | 2,204 | 41 | 3,425 |
| Prairie Sapphire | — | 47 | 41 | 5,067 | 40 | 3,422 |
| CDC Bethune | 39 | 45 | 41 | 1,614 | 39 | 1,203 |
| CDC Sorrel | 33 | 40 | 30 | 1,295 | 22 | 906 |
| **Weighted Average Irrigated Flax yield (Bu.) & total acres§** | | | | | **39** | **11,085** |

## FABA BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Malik | — | — | — | — | 3,708 | 1,317 |
| **Weighted Average Irrigated Faba Bean yield (Lbs.) & total acres§** | | | | | **3,691** | **1,675** |

## MUSTARD DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Andante (Yellow) | 17 | 21 | 17 | 29,994 | 17 | 17,158 |
| AC Pennant (Yellow) | 17 | 25 | 18 | 2,995 | 19 | 1,852 |
| **Weighted Average Dryland Mustard yield (Bu.) & total acres§** | | | | | **17** | **19,640** |

## BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Island (Pinto) | 2,443 | 2,566 | 2,464 | 12,663 | 2,698 | 11,997 |
| Resolute (Great Northern) | 2,210 | 2,689 | 2,447 | 12,395 | 2,632 | 10,636 |
| AC Redbond (Small Red) | 2,047 | 2,755 | 2,439 | 1,839 | 2,638 | 3,113 |
| AC Black Diamond (Black) | 2,043 | 2,066 | 2,162 | 2,676 | 2,511 | 2,701 |
| Myasi yellow (Black) | 2,646 | 3,002 | 2,436 | 2,554 | 2,686 | 2,514 |
| AAC Tundra (Great Northern) | — | — | — | — | 2,430 | 1,621 |
| Winchester Pinto (Pinto) | 2,221 | 2,693 | 2,537 | 1,290 | 2,677 | 916 |
| Medicine Hat (Pinto) | 2,387 | 2,513 | 2,306 | 2,263 | 2,808 | 865 |
| **Weighted Average Irrigated Bean yield (Lbs.) & total acres§** | | | | | **2,643** | **35,834** |

## POTATO IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Russet Burbank (Fry) | 17 | 18 | 19 | 21,120 | 21 | 21,465 |
| Shepody (Fry) | 16 | 16 | 16 | 1,864 | 19 | 1,707 |
| Ranger Russet (Fry) | — | 15 | 17 | 765 | 18 | 865 |
| Atlantic (Chip) | 12 | 15 | 14 | 368 | 15 | 451 |
| **Weighted Average Irrigated Potato yield (Tons) & total acres§** | | | | | **19** | **30,865** |

## SUGAR BEET IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| HM 9221RR | — | — | 31 | 6,834 | 28 | 6,008 |
| Beta 49RR33 | 31 | 31 | 30 | 1,849 | 28 | 3,537 |
| HM 9328RR | — | — | — | — | 31 | 3,434 |
| SV 36152RR | — | — | 32 | 6,723 | 29 | 2,698 |
| **Weighted Average Irrigated Sugar Beet yield (Tons) & total acres§** | | | | | **29** | **16,291** |

## CHICKPEAS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 3

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Orion (Kabuli) | — | 2,751 | 1,278 | 7,945 | 2,055 | 3,072 |
| **Weighted Average Dryland Chickpeas yield (Lbs.) & total acres§** | | | | | **1,971** | **3,236** |

# RISK AREA 4

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Lillian (HRS) | 35 | 42 | 35 | 57,848 | 27 | 41,456 |
| CDC Go (HRS) | 47 | 52 | 41 | 50,222 | 30 | 41,411 |
| Strongfield (D) | 43 | 49 | 42 | 28,398 | 27 | 38,048 |
| Stettler (HRS) | 42 | 46 | 32 | 35,730 | 24 | 32,453 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;


DUPONT
*The miracles of science™*

## SEND WEEDS TO THE PLACE OF NO RETURN.

Go ahead and turn the tables on broadleaf weeds with the reliable, effective power of DuPont™ Barricade® II herbicide – without compromising your crop health. Three active ingredients from two groups (Group 2 and Group 4) strike down a broad range of weeds like narrow-leaved hawk's-beard, cleavers and kochia in your cereals. Plus a wide window of application, and outstanding re-cropping flexibility make Barricade® II a sound choice for growers.

**Barricade® II: The strength to overcome tough weeds while being gentle on your cereal crops.**

**Speak to your DuPont rep or retailer, call the DuPont™ FarmCare® Support Centre at 1-800-667-3925 or visit barricade.dupont.ca.**

**DuPont™ Barricade® II**
herbicide

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Brigade (D) | — | — | 49 | 6,159 | 33 | 14,055 |
| AC Eatonia (HRS) | 36 | 41 | 34 | 22,388 | 21 | 12,684 |
| Transcend (D) | — | 52 | 37 | 2,272 | 23 | 9,861 |
| Sadash (SWS) | 35 | 48 | 39 | 7,431 | 22 | 9,069 |
| Unity (HRS) | — | 52 | 47 | 6,959 | 33 | 6,144 |
| CDC Verona (D) | 49 | 47 | 37 | 3,361 | 27 | 4,923 |
| Carberry (HRS) | 41 | 41 | 46 | 2,347 | 34 | 4,672 |
| CDC Stanley (HRS) | — | 51 | 42 | 2,632 | 24 | 4,580 |
| Shaw (HRS) | — | — | 41 | 3,451 | 23 | 4,254 |
| AAC Raymore (D) | — | — | — | — | 25 | 3,289 |
| CDC VR Morris (HRS) | — | — | — | — | 19 | 3,234 |
| Muchmore (HRS) | — | — | — | — | 29 | 2,854 |
| Enterprise (D) | — | — | — | — | 29 | 2,786 |
| Radiant (HRW) | 49 | 45 | 31 | 5,062 | 27 | 2,258 |
| Superb (HRS) | 29 | 55 | 35 | 3,885 | 22 | 1,936 |
| CDC Utmost (HRS) | — | 45 | — | — | 23 | 1,526 |
| Cardale (HRS) | — | — | 43 | 1,360 | 30 | 1,126 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **27** | **264,225** |

## WHEAT IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Strongfield (D) | 71 | 87 | 83 | 5,037 | 82 | 7,248 |
| Cardale (HRS) | — | — | 79 | 3,990 | 75 | 6,610 |
| Carberry (HRS) | 62 | 76 | 66 | 8,584 | 75 | 4,679 |
| CDC Go (HRS) | 72 | 79 | 71 | 6,491 | 81 | 3,929 |
| AAC Brandon (HRS) | — | — | — | — | 81 | 3,757 |
| CDC Abound (HRS) | 54 | 80 | 67 | 3,092 | 82 | 2,927 |
| Radiant (HRW) | 84 | 97 | 94 | 2,843 | 99 | 2,246 |
| Superb (HRS) | 55 | 81 | 72 | 3,552 | 79 | 2,055 |
| Muchmore (HRS) | — | — | — | — | 69 | 1,332 |
| CDC Stanley (HRS) | — | 73 | 60 | 890 | 62 | 910 |
| Stettler (HRS) | 66 | 77 | 44 | 2,454 | 72 | 761 |
| CDC VR Morris (HRS) | — | — | — | — | 54 | 759 |
| **Weighted Average Irrigated Wheat yield (Bu.) & total acres§** | | | | | **78** | **44,618** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L140 P | — | — | 36 | 3,502 | 23 | 20,403 |
| 5440 | 31 | 42 | 36 | 17,128 | 29 | 10,944 |
| L130 | 29 | 33 | 36 | 10,405 | 24 | 6,328 |
| 74-44 BL | — | 36 | 23 | 5,328 | 15 | 6,112 |
| L252 | — | — | — | — | 26 | 3,846 |
| 73-45 RR | 28 | 38 | 34 | 3,546 | 24 | 3,561 |
| L150 | 25 | 31 | 28 | 8,370 | 24 | 3,041 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **24** | **67,405** |

## CANOLA IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| 5440 | 50 | 62 | 56 | 8,612 | 57 | 6,604 |
| L252 | — | — | 57 | 1,987 | 61 | 4,107 |
| 74-44 BL | — | 58 | — | — | 51 | 2,030 |
| L130 | 43 | 59 | 55 | 1,636 | 59 | 1,465 |
| 45S56 | — | — | — | — | 52 | 1,120 |
| L140 P | — | — | — | — | 58 | 830 |
| 73-45 RR | 41 | 58 | 53 | 1,234 | 56 | 380 |
| **Weighted Average Irrigated Canola yield (Bu.) & total acres§** | | | | | **57** | **22,359** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Metcalfe | 48 | 63 | 49 | 8,830 | 42 | 10,351 |
| Champion | 69 | 72 | 58 | 9,246 | 36 | 10,120 |
| Xena | 35 | 55 | 59 | 6,860 | 45 | 9,338 |
| CDC Cowboy | 38 | 50 | 32 | 7,523 | 17 | 6,388 |
| CDC Austenson | — | 60 | 53 | 3,790 | 26 | 5,680 |
| Conlon | 54 | 84 | — | — | 28 | 460 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **34** | **48,322** |

## BARLEY IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Austenson | 81 | 85 | 83 | 5,231 | 90 | 4,059 |
| Conlon | 49 | — | — | — | 90 | 2,358 |
| AC Metcalfe | 29 | — | — | — | 54 | 1,143 |
| **Weighted Average Irrigated Barley yield (Bu.) & total acres§** | | | | | **88** | **12,863** |

## PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 43 | 40 | 32 | 55,462 | 19 | 64,446 |
| Thunderbird | 34 | 41 | 24 | 3,857 | 12 | 5,757 |
| CDC Golden | 34 | 30 | 34 | 6,487 | 14 | 3,741 |
| Delta Fld Pea | 42 | 47 | 37 | 6,786 | 12 | 3,203 |
| CDC Saffron | — | — | — | — | 20 | 1,852 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **18** | **86,970** |

## PEA IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 44 | 60 | 47 | 2,283 | 62 | 1,736 |
| **Weighted Average Irrigated Pea yield (Bu.) & total acres§** | | | | | **58** | **3,040** |

## OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Baler | 49 | 53 | 45 | 3,931 | 15 | 4,262 |
| Waldern | — | 46 | 34 | 1,442 | 36 | 1,577 |
| Derby | — | 13 | 25 | 780 | 31 | 962 |
| AC Mustang | 76 | 52 | 42 | 1,164 | 29 | 869 |
| AC Morgan | 29 | 72 | 31 | 1,174 | 32 | 770 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **21** | **10,430** |

## LENTIL DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Maxim | 1,689 | 1,769 | 1,328 | 9,030 | 958 | 21,950 |
| CDC Dazil | — | — | — | — | 1,074 | 6,277 |
| **Weighted Average Dryland Lentil yield (Lbs.) & total acres§** | | | | | **964** | **29,998** |

## FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Prairie Sapphire | — | — | 18 | 3,767 | 17 | 2,604 |
| CDC Glas | — | — | — | — | 22 | 459 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **19** | **4,088** |

## FLAX IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Glas | — | — | 34 | 1,338 | 42 | 4,047 |
| Prairie Sapphire | 37 | 39 | 34 | 3,588 | 33 | 2,502 |
| Westlin 70 | — | — | — | — | 28 | 918 |
| Hanley | 27 | 38 | 30 | 1,479 | 44 | 710 |
| CDC Bethune | 25 | 38 | 37 | 1,551 | 40 | 706 |
| **Weighted Average Irrigated Flax yield (Bu.) & total acres§** | | | | | **38** | **9,785** |

## FABA BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Malik | — | — | — | — | 4,292 | 981 |
| **Weighted Average Irrigated Faba Bean yield (Lbs.) & total acres§** | | | | | **3,970** | **1,469** |

## MUSTARD DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 4

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Andante (Yellow) | 14 | 20 | 15 | 7,222 | 9 | 8,859 |
| Centennial Brown (Brown) | 19 | 18 | 23 | 6,431 | 18 | 4,237 |
| AC Pennant (Yellow) | 12 | 18 | 13 | 3,030 | 8 | 2,915 |
| **Weighted Average Dryland Mustard yield (Bu.) & total acres§** | | | | | **11** | **16,401** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

**BEAN IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Island (Pinto) | 2,527 | 2,634 | 2,569 | 2,936 | 2,569 | 2,578 |
| Resolute (Great Northern) | 2,360 | 2,798 | 2,792 | 1,696 | 2,720 | 1,360 |
| AC Black Diamond (Black) | — | — | 2,469 | 1,083 | 2,410 | 816 |
| **Weighted Average Irrigated Bean yield (Lbs.) & total acres§** | | | | | **2,643** | **6,414** |

**POTATO IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Russet Burbank (Fry) | 16 | 19 | 18 | 1,966 | 21 | 2,304 |
| **Weighted Average Irrigated Potato yield (Tons) & total acres§** | | | | | **22** | **3,174** |

**TRITICALE IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Tyndal (Spring) | — | — | — | — | 64 | 437 |
| **Weighted Average Irrigated Triticale yield (Bu.) & total acres§** | | | | | **76** | **1,559** |

**SUNFLOWER IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 4**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Panther | 1,536 | — | 1,824 | 2,034 | 2,489 | 1,194 |
| **Weighted Average Irrigated Sunflower yield (Lbs.) & total acres§** | | | | | **2,350** | **1,514** |

## RISK AREA 5

**WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 5**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Go (HRS) | 48 | 64 | 46 | 163,691 | 41 | 162,649 |
| Stettler (HRS) | 51 | 59 | 43 | 74,739 | 38 | 71,663 |
| Harvest (HRS) | 53 | 60 | 49 | 45,227 | 51 | 35,345 |
| CDC Abound (HRS) | 53 | 65 | 51 | 21,397 | 50 | 17,298 |
| Muchmore (HRS) | 60 | 71 | 51 | 6,193 | 49 | 13,796 |
| CDC Utmost (HRS) | 60 | 66 | 53 | 10,404 | 55 | 11,010 |
| Conquer (CPS) | — | — | 51 | 7,793 | 35 | 9,191 |
| AC Foremost (CPS) | 77 | 79 | 64 | 16,829 | 71 | 8,608 |
| Lillian (HRS) | 41 | 51 | 31 | 9,761 | 30 | 8,182 |
| CDC Plentiful (HRS) | — | — | — | — | 44 | 7,274 |
| CDC Stanley (HRS) | 48 | 60 | 54 | 9,037 | 53 | 7,013 |
| Cardale (HRS) | — | — | 44 | 1,521 | 47 | 6,361 |
| Carberry (HRS) | — | — | — | — | 39 | 6,094 |
| Superb (HRS) | 40 | 50 | 27 | 4,070 | 26 | 5,215 |
| 5604HR CL (HRS) | — | 66 | 48 | 5,654 | 65 | 4,596 |
| CDC Thrive (HRS) | — | 60 | 42 | 3,187 | 23 | 4,328 |
| CDC VR Morris (HRS) | — | — | 46 | 1,686 | 40 | 3,858 |
| WR 859 CL (HRS) | — | 53 | 47 | 2,153 | 61 | 3,661 |
| AAC Elie (HRS) | — | — | — | — | 60 | 2,991 |
| AAC Redwater (HRS) | — | — | — | — | 65 | 2,356 |
| 5700 PR (CPS) | 64 | 85 | — | — | 54 | 1,281 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **44** | **419,487** |

**WHEAT IRRIGATED YIELDS BY VARIETY 2012–2015† — RISK AREA 5**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Go (HRS) | 63 | 86 | 59 | 3,449 | 78 | 4,546 |
| CDC Abound (HRS) | — | 84 | 65 | 1,108 | 66 | 2,510 |
| AC Foremost (CPS) | — | 102 | 48 | 2,458 | 69 | 1,578 |
| Stettler (HRS) | 53 | 86 | 53 | 3,274 | 82 | 1,567 |
| **Weighted Average Irrigated Wheat yield (Bu.) & total acres§** | | | | | **69** | **15,146** |

**CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 5**

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L252 | — | — | 42 | 14,327 | 43 | 75,018 |
| 74-44 BL | — | 40 | 37 | 35,336 | 39 | 58,589 |
| L130 | 34 | 45 | 38 | 63,077 | 41 | 38,673 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| 5440 | 34 | 43 | 37 | 63,404 | 41 | 34,620 |
| 1990 | 31 | 45 | 36 | 20,855 | 36 | 13,360 |
| L140 P | — | — | 41 | 8,716 | 38 | 9,911 |
| 45H31 | 30 | 42 | 37 | 9,736 | 41 | 9,885 |
| PV 531G | — | — | — | — | 39 | 9,574 |
| 45S56 | — | — | — | — | 39 | 8,148 |
| 45S54 | — | 44 | 35 | 17,501 | 34 | 7,260 |
| 45S52 | 32 | 42 | 38 | 16,742 | 39 | 7,177 |
| 45H33 | — | — | — | — | 30 | 6,291 |
| 73-15 RR | 27 | 41 | 33 | 5,424 | 39 | 4,834 |
| 45H29 | 27 | 47 | 35 | 2,314 | 34 | 4,186 |
| L120 | 35 | 42 | 34 | 5,817 | 46 | 4,044 |
| 43E02 | — | 41 | 33 | 2,699 | 39 | 4,027 |
| 73-45 RR | 31 | 42 | 37 | 14,833 | 38 | 3,763 |
| 43E03 | — | — | — | — | 40 | 2,940 |
| 2020 CL | — | — | — | — | 31 | 2,715 |
| D3155C | — | — | — | — | 28 | 2,122 |
| PV 530G | — | — | — | — | 27 | 2,088 |
| L150 | 30 | 43 | 31 | 4,766 | 35 | 2,060 |
| VR 9559 G | — | 41 | 31 | 3,243 | 40 | 2,035 |
| SY 4135 | — | — | — | — | 32 | 1,733 |
| VT 500 G | 29 | 41 | 30 | 5,319 | 38 | 1,365 |
| D3153 | 32 | 41 | 34 | 3,501 | 48 | 989 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **40** | **340,291** |

| CANOLA IRRIGATED YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| 74-44 BL | — | 59 | 45 | 1,195 | 51 | 4,231 |
| L252 | — | — | 63 | 1,750 | 56 | 2,927 |
| L130 | 34 | 59 | 53 | 2,886 | 59 | 1,064 |
| 5440 | 44 | 48 | 46 | 2,508 | 59 | 857 |
| **Weighted Average Irrigated Canola yield (Bu.) & total acres§** | | | | | **53** | **12,253** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Copeland | 56 | 76 | 59 | 50,106 | 66 | 69,716 |
| Xena | 53 | 82 | 63 | 78,016 | 64 | 64,742 |
| CDC Austenson | 59 | 76 | 60 | 31,464 | 66 | 36,154 |
| AC Metcalfe | 56 | 73 | 53 | 33,479 | 53 | 29,386 |
| Newdale | 63 | 83 | 61 | 11,239 | 44 | 12,607 |
| Champion | 62 | 81 | 70 | 19,592 | 77 | 12,129 |
| CDC Meredith | 65 | 87 | 56 | 18,583 | 49 | 6,972 |
| Brahma | — | — | — | — | 79 | 5,786 |
| Bentley | 52 | 52 | 40 | 1,601 | 31 | 4,365 |
| Conlon | 43 | 67 | 58 | 5,311 | 46 | 4,364 |
| CDC Kindersley | — | — | 78 | 1,551 | 76 | 3,186 |
| AAC Synergy | — | — | — | — | 81 | 2,449 |
| Busby | — | — | 71 | 1,051 | 84 | 1,100 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **63** | **257,829** |

| BARLEY IRRIGATED YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Xena | 69 | 89 | 64 | 5,529 | 88 | 3,634 |
| CDC Copeland | — | — | — | — | 91 | 992 |
| CDC Meredith | — | 101 | — | — | 84 | 761 |
| **Weighted Average Irrigated Barley yield (Bu.) & total acres§** | | | | | **84** | **7,716** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 44 | 54 | 42 | 34,060 | 36 | 46,555 |
| CDC Saffron | — | — | 55 | 2,166 | 37 | 7,515 |
| Thunderbird | 51 | 58 | 33 | 1,940 | 19 | 2,678 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **34** | **61,393** |

| PEA IRRIGATED YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 48 | 74 | 46 | 602 | 49 | 1,636 |
| **Weighted Average Irrigated Pea yield (Bu.) & total acres§** | | | | | **50** | **2,186** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Mustang | 62 | 102 | 77 | 3,266 | 77 | 2,746 |
| AC Morgan | 90 | 69 | 57 | 2,599 | 61 | 1,462 |
| Waldern | — | 87 | — | — | 59 | 404 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **61** | **6,408** |

| FLAX DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Glas | — | — | — | — | 20 | 2,852 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **18** | **6,464** |

| MUSTARD DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 5 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Andante (Yellow) | 13 | 20 | 15 | 3,147 | 17 | 3,096 |
| **Weighted Average Dryland Mustard yield (Bu.) & total acres§** | | | | | **17** | **3,096** |

## RISK AREA 6

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Foremost (CPS) | 70 | 71 | 58 | 3,092 | 84 | 3,517 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **76** | **5,393** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| 73-15 RR | 30 | 41 | 29 | 5,024 | 34 | 3,445 |
| L135 C | — | — | 36 | 656 | 49 | 2,497 |
| L130 | 35 | 41 | — | — | 44 | 2,150 |
| PV 531G | — | — | — | — | 32 | 1,247 |
| L120 | 28 | 40 | 29 | 1,923 | 41 | 662 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **40** | **13,059** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Metcalfe | 58 | 71 | 44 | 3,724 | 75 | 3,853 |
| CDC Austenson | 44 | 72 | 51 | 5,485 | 70 | 3,342 |
| Newdale | 62 | — | 46 | 1,284 | 89 | 2,337 |
| Xena | 58 | 69 | 54 | 3,905 | 86 | 2,114 |
| CDC Helgason | — | 53 | 57 | 2,183 | 68 | 1,746 |
| Busby | 43 | 48 | — | — | 67 | 1,536 |
| CDC Copeland | 52 | 64 | 48 | 1,535 | 63 | 1,358 |
| Champion | — | 75 | 60 | 1,462 | 65 | 1,033 |
| CDC Kindersley | — | — | — | — | 80 | 811 |
| Conlon | 33 | 46 | 40 | 1,178 | 59 | 485 |
| Sundre | 41 | — | — | — | 80 | 360 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **74** | **23,006** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | — | 33 | — | — | 35 | 1,161 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **44** | **2,245** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 64 | 89 | 68 | 2,002 | 62 | 2,191 |
| AC Mustang | 29 | 72 | 65 | 1,429 | 66 | 1,101 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **65** | **4,465** |

## RISK AREA 7

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Foremost (CPS) | 65 | 84 | 68 | 68,799 | 85 | 70,942 |
| CDC Go (HRS) | 58 | 71 | 66 | 31,623 | 72 | 30,481 |
| Muchmore (HRS) | — | 68 | 67 | 14,474 | 71 | 27,173 |
| CDC Abound (HRS) | 58 | 65 | 66 | 14,083 | 72 | 16,073 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 7

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Harvest (HRS) | 60 | 71 | 62 | 20,888 | 70 | 15,862 |
| 5700 PR (CPS) | 63 | 77 | 69 | 21,402 | 72 | 14,241 |
| Stettler (HRS) | 56 | 70 | 60 | 12,966 | 63 | 9,401 |
| Oslo (CPS) | 65 | 92 | 71 | 5,992 | 88 | 7,115 |
| CDC Imagine (HRS) | 54 | 64 | 54 | 1,394 | 69 | 2,223 |
| CDC VR Morris (HRS) | — | — | — | — | 67 | 1,568 |
| AAC Redwater (HRS) | — | — | — | — | 76 | 1,307 |
| AAC Ryley (CPS) | — | — | — | — | 93 | 1,301 |
| Carberry (HRS) | — | — | 56 | 1,034 | 64 | 1,298 |
| Conquer (CPS) | — | — | — | — | 74 | 1,269 |
| CDC Plentiful (HRS) | — | — | — | — | 69 | 847 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **76** | **208,655** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 7

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L135 C | — | 49 | 43 | 44,960 | 52 | 61,731 |
| 74-44 BL | — | 48 | 39 | 48,393 | 51 | 42,604 |
| L130 | 37 | 50 | 41 | 39,079 | 51 | 30,076 |
| 74-54 RR | — | — | 40 | 23,834 | 48 | 17,383 |
| L252 | — | — | 41 | 5,271 | 53 | 11,716 |
| 45H33 | — | — | — | — | 56 | 9,895 |
| VR 9562GC | — | — | 44 | 1,939 | 50 | 9,675 |
| 45H29 | 38 | 48 | 47 | 19,157 | 57 | 9,545 |
| 73-15 RR | 36 | 43 | 32 | 18,950 | 44 | 8,160 |
| L120 | 34 | 46 | 34 | 12,519 | 51 | 7,749 |
| 5440 | 37 | 45 | 45 | 12,550 | 54 | 6,275 |
| 1990 | — | 43 | 38 | 2,650 | 48 | 5,563 |
| PV 531G | — | — | — | — | 41 | 5,379 |
| 6044 RR | — | — | 35 | 4,139 | 45 | 4,718 |
| 6056 | — | — | 35 | 1,020 | 47 | 2,438 |
| CS 2000 | — | — | — | — | 48 | 2,283 |
| 73-45 RR | 33 | 44 | 37 | 7,644 | 47 | 2,098 |
| 45S56 | — | — | — | — | 46 | 1,913 |
| 45S54 | — | 46 | 44 | 2,107 | 55 | 1,884 |
| 45H31 | — | 46 | 44 | 2,689 | 51 | 1,641 |
| 1918 | 27 | 39 | 25 | 1,359 | 33 | 1,000 |
| L140 P | — | — | 40 | 1,313 | 59 | 818 |
| 6040 RR | 35 | 45 | 38 | 1,175 | 45 | 669 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **51** | **254,962** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 7

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Copeland | 61 | 72 | 61 | 30,271 | 87 | 41,753 |
| CDC Austenson | 73 | 79 | 66 | 41,219 | 84 | 39,214 |
| Xena | 64 | 76 | 62 | 31,706 | 82 | 20,329 |
| AC Metcalfe | 57 | 69 | 60 | 23,617 | 74 | 18,127 |
| Bentley | 67 | 79 | 64 | 9,011 | 82 | 15,599 |
| CDC Kindersley | 50 | 81 | 65 | 6,355 | 86 | 15,073 |
| Newdale | 60 | 77 | 66 | 9,789 | 91 | 11,396 |
| Champion | 66 | 75 | 65 | 10,222 | 90 | 9,114 |
| CDC Meredith | 69 | 80 | 68 | 17,000 | 77 | 8,300 |
| CDC Coalition | 66 | 77 | 61 | 6,329 | 83 | 6,233 |
| Brahma | — | — | — | — | 90 | 6,060 |
| CDC Thompson | 64 | 77 | 65 | 8,043 | 86 | 5,784 |
| Vivar | 80 | 78 | 69 | 4,917 | 74 | 5,033 |
| Stander | 63 | 69 | 69 | 6,092 | 74 | 3,743 |
| Busby | 57 | 70 | 55 | 3,157 | 68 | 3,326 |
| Falcon | 68 | 77 | 60 | 1,397 | 79 | 2,142 |
| CDC Helgason | 54 | 69 | 60 | 1,522 | 62 | 2,011 |
| Conlon | 56 | 68 | 57 | 2,709 | 65 | 1,827 |
| CDC Trey | 60 | 72 | 44 | 5,559 | 81 | 1,734 |
| CDC Battleford | 51 | 70 | 63 | 1,184 | 72 | 1,369 |
| Chigwell | 62 | 71 | 48 | 1,225 | 77 | 736 |
| CDC Maverick | — | — | — | — | 77 | 619 |
| CDC Bold | 54 | 76 | — | — | 84 | 532 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **83** | **227,393** |

## PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 7

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 44 | 46 | 49 | 3,322 | 53 | 5,203 |
| CDC Striker | 50 | 55 | 39 | 3,942 | 47 | 4,182 |
| CDC Raezer | — | — | — | — | 46 | 3,716 |
| CDC Saffron | — | — | — | — | 53 | 1,989 |
| CDC Patrick | — | — | 46 | 2,531 | 37 | 1,475 |
| Garde | 43 | 54 | 54 | 1,272 | 55 | 1,420 |
| CDC Limerick | — | — | — | — | 31 | 940 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **48** | **20,861** |

## OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 7

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | 86 | 104 | 86 | 3,164 | 78 | 3,197 |
| AC Mustang | 74 | 87 | 89 | 1,291 | 96 | 1,698 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **89** | **6,695** |

## FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 7

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Snowbird | 3,679 | 3,085 | 2,697 | 7,993 | 2,342 | 6,894 |
| CDC Snowdrop | — | — | — | — | 1,946 | 942 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **2,294** | **7,836** |

# RISK AREA 8

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Go (HRS) | 50 | 67 | 47 | 169,064 | 54 | 165,824 |
| Stettler (HRS) | 49 | 61 | 46 | 68,526 | 47 | 55,427 |
| Muchmore (HRS) | — | 76 | 53 | 29,279 | 58 | 41,836 |
| Harvest (HRS) | 47 | 59 | 54 | 15,117 | 49 | 16,430 |
| CDC Stanley (HRS) | 48 | 63 | 48 | 12,997 | 50 | 12,400 |
| CDC Abound (HRS) | 51 | 64 | 55 | 8,991 | 55 | 9,501 |



† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Carberry (HRS) | — | 61 | 47 | 9,516 | 48 | 8,454 |
| AC Foremost (CPS) | 59 | 80 | 58 | 9,054 | 61 | 7,331 |
| CDC Utmost (HRS) | 52 | 60 | 48 | 5,911 | 46 | 5,205 |
| AAC Ryley (CPS) | — | — | — | — | 63 | 2,792 |
| CDC Plentiful (HRS) | — | — | — | — | 46 | 2,396 |
| AAC Elie (HRS) | — | — | — | — | 56 | 2,328 |
| 5700 PR (CPS) | 66 | 82 | 77 | 4,595 | 60 | 1,198 |
| AAC Redwater (HRS) | — | — | — | — | 47 | 907 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **53** | **345,868** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L252 | — | — | 41 | 26,488 | 52 | 99,542 |
| 5440 | 38 | 47 | 39 | 64,354 | 48 | 43,935 |
| 74-44 BL | — | 45 | 39 | 41,081 | 49 | 41,540 |
| L135 C | — | 47 | 42 | 17,145 | 48 | 27,657 |
| L130 | 36 | 49 | 40 | 53,164 | 48 | 27,458 |
| 45H33 | — | — | — | — | 50 | 11,170 |
| 45S54 | — | 47 | 38 | 9,585 | 44 | 7,592 |
| 1990 | 43 | 47 | 38 | 12,161 | 46 | 7,115 |
| 45H31 | 35 | 45 | 36 | 12,021 | 48 | 6,948 |
| VR 9562GC | — | — | 42 | 1,244 | 53 | 6,873 |
| 74-54 RR | — | — | 39 | 22,162 | 47 | 6,350 |
| L140 P | — | — | 38 | 3,801 | 45 | 6,129 |
| PV 530G | — | — | — | — | 44 | 6,087 |
| L150 | 35 | 47 | 37 | 11,141 | 45 | 5,332 |
| 45H29 | 34 | 51 | 45 | 8,836 | 52 | 4,894 |
| 1012 RR | 38 | 45 | 35 | 2,539 | 42 | 3,469 |
| L120 | 31 | 47 | 41 | 5,184 | 52 | 3,014 |
| L261 | — | — | 52 | 6,189 | 55 | 2,845 |
| VR 9559 G | 23 | 44 | 34 | 7,013 | 50 | 2,506 |
| L159 | 39 | 46 | 43 | 12,760 | 51 | 2,493 |
| CS 2000 | — | — | — | — | 49 | 2,180 |
| 45S52 | 32 | 47 | 38 | 10,071 | 44 | 1,949 |
| VT 500 G | 32 | 42 | 34 | 6,234 | 42 | 1,839 |
| 45H76 | — | — | — | — | 40 | 1,751 |
| 6056 | — | — | 43 | 764 | 43 | 1,748 |
| 45S56 | — | — | — | — | 48 | 1,310 |
| 73-45 RR | 33 | 45 | 37 | 3,191 | 41 | 1,239 |
| 73-15 RR | 33 | 39 | 32 | 2,790 | 43 | 1,113 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **49** | **353,366** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Copeland | 60 | 79 | 56 | 46,252 | 72 | 89,406 |
| CDC Austenson | 68 | 84 | 67 | 41,683 | 71 | 37,699 |
| AC Metcalfe | 56 | 75 | 55 | 38,480 | 63 | 28,457 |
| Xena | 65 | 84 | 59 | 13,486 | 75 | 15,293 |
| Champion | 60 | 85 | 63 | 17,037 | 70 | 13,414 |
| Bentley | 60 | 80 | 64 | 6,817 | 67 | 9,029 |
| CDC Meredith | 70 | 89 | 66 | 28,125 | 69 | 8,105 |
| Newdale | 66 | 92 | 79 | 5,292 | 68 | 5,804 |
| CDC Cowboy | 62 | 70 | 59 | 3,642 | 56 | 2,767 |
| AAC Synergy | — | — | — | — | 83 | 2,708 |
| CDC Kindersley | — | 84 | 75 | 1,950 | 73 | 2,579 |
| CDC Coalition | 62 | 84 | 68 | 1,934 | 68 | 2,243 |
| Brahma | — | — | — | — | 82 | 1,738 |
| Busby | 57 | 81 | 56 | 2,067 | 59 | 1,431 |
| Chigwell | — | — | 48 | 862 | 66 | 847 |
| CDC Maverick | — | — | — | — | 55 | 482 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **70** | **231,089** |

## PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 38 | 56 | 38 | 46,327 | 35 | 50,773 |
| CDC Saffron | — | — | 39 | 2,885 | 39 | 9,921 |
| CDC Striker | — | 52 | 46 | 6,548 | 30 | 6,117 |
| Thunderbird | 46 | 51 | 24 | 2,633 | 39 | 2,897 |
| CDC Raezer | — | — | — | — | 38 | 1,799 |
| CDC Patrick | — | — | 39 | 2,987 | 30 | 1,500 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **35** | **75,051** |

## OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Mustang | 73 | 96 | 68 | 1,708 | 72 | 2,449 |
| AC Morgan | 74 | 102 | 68 | 1,311 | 74 | 1,966 |
| CDC Baler | 71 | 77 | 52 | 739 | 42 | 839 |
| CDC Haymaker | — | — | — | — | 94 | 263 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **69** | **5,971** |

## FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Sorrel | 31 | 31 | 26 | 3,665 | 33 | 2,639 |
| CDC Glas | — | — | — | — | 35 | 2,438 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **33** | **6,845** |

## FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 8

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Snowbird | — | 2,444 | 1,930 | 3,667 | 2,189 | 2,937 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **2,217** | **3,317** |

# RISK AREA 9

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Stettler (HRS) | 39 | 47 | 37 | 99,593 | 30 | 101,791 |
| Strongfield (D) | 38 | 46 | 40 | 31,546 | 25 | 48,895 |
| CDC Go (HRS) | 45 | 56 | 39 | 26,415 | 43 | 33,729 |
| Lillian (HRS) | 34 | 42 | 35 | 31,597 | 25 | 20,138 |
| Sadash (SWS) | 54 | 64 | 51 | 15,796 | 44 | 18,170 |
| CDC Utmost (HRS) | 49 | 48 | 42 | 9,912 | 26 | 14,741 |
| Harvest (HRS) | 35 | 42 | 37 | 12,466 | 32 | 13,449 |
| AC Eatonia (HRS) | 26 | 33 | 30 | 21,165 | 20 | 10,290 |
| CDC Verona (D) | — | 46 | 41 | 5,641 | 23 | 8,869 |
| AC Cadillac (HRS) | 30 | 32 | 35 | 8,570 | 35 | 8,238 |
| CDC Abound (HRS) | 43 | 51 | 35 | 8,004 | 36 | 6,036 |
| AC Andrew (SWS) | 47 | 58 | 44 | 7,072 | 26 | 5,390 |
| CDC Stanley (HRS) | — | 51 | 46 | 3,960 | 40 | 4,306 |
| Shaw (HRS) | — | 53 | 21 | 2,173 | 25 | 3,198 |
| Carberry (HRS) | — | — | 45 | 1,934 | 41 | 3,001 |
| AC Barrie (HRS) | 33 | 34 | 32 | 3,965 | 26 | 2,685 |
| Prodigy (HRS) | 35 | 33 | 26 | 2,136 | 29 | 1,797 |
| Radiant (HRW) | 46 | 43 | 40 | 2,699 | 24 | 586 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **31** | **330,095** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| 74-44 BL | 26 | 39 | 36 | 29,844 | 31 | 28,266 |
| L252 | — | — | 37 | 9,138 | 44 | 14,657 |
| 1990 | — | 38 | 34 | 4,566 | 38 | 13,855 |
| 45H29 | 30 | 39 | 34 | 16,770 | 28 | 12,070 |
| L150 | 34 | 42 | 38 | 9,372 | 32 | 11,137 |
| 5440 | 32 | 35 | 35 | 16,466 | 34 | 9,838 |
| L130 | 32 | 43 | 37 | 13,161 | 43 | 9,171 |
| 46H75 | 34 | 41 | 33 | 7,952 | 37 | 8,001 |
| 6060 RR | — | 32 | 31 | 8,242 | 37 | 6,332 |
| 45H31 | 31 | 40 | 35 | 6,760 | 37 | 5,372 |
| L140 P | — | — | 34 | 917 | 31 | 4,749 |
| PV 530G | — | — | — | — | 31 | 3,226 |
| 45H33 | — | — | — | — | 37 | 2,876 |
| 45S54 | — | 44 | 38 | 1,697 | 37 | 2,573 |
| 1918 | 26 | 30 | 29 | 3,309 | 26 | 2,515 |
| 74-54 RR | — | — | 33 | 7,791 | 16 | 1,982 |
| 73-45 RR | 31 | 42 | 29 | 3,973 | 27 | 1,961 |
| VT 500 G | 27 | 35 | 32 | 2,252 | 28 | 1,947 |
| 73-15 RR | 31 | 36 | 35 | 4,295 | 27 | 1,885 |
| L135 C | — | — | — | — | 35 | 1,638 |
| VR 9561GS | — | — | — | — | 41 | 1,520 |
| VR 9562GC | — | — | 37 | 2,206 | 37 | 1,439 |
| 1012 RR | — | 34 | 36 | 2,192 | 36 | 1,341 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **35** | **175,940** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

SOUND AGRONOMY TO BE

# FIRST *in the* FIELD


## A SEED PARTNER WITH PROVEN RESULTS

MCVET Trials | Third Party Testing Trials |
Crop Insurance Yield Data | Agronomy Field Checks

## LOCK IN HIGH YIELDS FOR 2016.

**QUARRY SEED 888-274-9243** **www.thunderseed.ca**

### BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Champion | 55 | 71 | 58 | 19,054 | 56 | 14,293 |
| CDC Austenson | 59 | 69 | 62 | 12,632 | 44 | 12,146 |
| Xena | 47 | 65 | 50 | 13,676 | 52 | 11,251 |
| AC Metcalfe | 43 | 65 | 53 | 10,830 | 51 | 9,998 |
| CDC Cowboy | 40 | 42 | 39 | 7,348 | 31 | 7,368 |
| CDC Copeland | 46 | 63 | 56 | 4,598 | 58 | 6,169 |
| Bentley | 43 | 54 | 54 | 1,954 | 48 | 5,042 |
| CDC Maverick | — | — | — | — | 42 | 994 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **49** | **74,094** |

### PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 42 | 46 | 40 | 51,276 | 24 | 51,602 |
| CDC Saffron | — | — | 26 | 1,213 | 16 | 3,754 |
| CDC Golden | 30 | 36 | 34 | 4,236 | 21 | 3,183 |
| Thunderbird | 40 | 48 | 44 | 2,115 | 26 | 1,139 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **24** | **66,460** |

### OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Derby | 37 | 61 | 50 | 1,779 | 40 | 3,245 |
| AC Morgan | 71 | 59 | 46 | 4,120 | 35 | 2,221 |
| AC Mustang | 61 | 59 | 66 | 1,514 | 49 | 1,875 |
| CDC Baler | 71 | 58 | 60 | 1,843 | 32 | 1,594 |
| Waldern | — | 77 | 63 | 695 | 48 | 1,067 |
| Calibre | 49 | 50 | 39 | 952 | 27 | 770 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **39** | **11,514** |

### LENTIL DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Maxim | 1,303 | 1,993 | 1,398 | 6,071 | 760 | 14,106 |
| **Weighted Average Dryland Lentil yield (Lbs.) & total acres§** | | | | | **753** | **17,725** |

### FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Sorrel | — | 30 | 29 | 912 | 12 | 1,211 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **24** | **3,620** |

### FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Snowbird | — | — | — | — | 1,140 | 1,560 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **982** | **1,951** |

### MUSTARD DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 9

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Pennant (Yellow) | 11 | 18 | 22 | 2,737 | 13 | 3,842 |
| Centennial Brown (Brown) | — | — | 19 | 3,128 | 7 | 1,840 |
| Forge (Oriental) | — | — | — | — | 19 | 1,754 |
| Andante (Yellow) | 12 | — | 16 | 2,368 | 11 | 1,648 |
| **Weighted Average Dryland Mustard yield (Bu.) & total acres§** | | | | | **12** | **10,743** |

## RISK AREA 10

### WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 10

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Foremost (CPS) | 63 | 80 | 77 | 38,078 | 61 | 40,541 |
| Stettler (HRS) | 52 | 64 | 55 | 7,170 | 49 | 6,078 |
| CDC Stanley (HRS) | — | — | 65 | 2,534 | 58 | 4,615 |
| 5700 PR (CPS) | 59 | 67 | 74 | 2,283 | 54 | 2,942 |
| Harvest (HRS) | 50 | 73 | 63 | 2,475 | 59 | 2,477 |
| Muchmore (HRS) | — | — | — | — | 57 | 2,365 |
| CDC Go (HRS) | — | 77 | 69 | 2,724 | 49 | 2,273 |
| AC Barrie (HRS) | — | 44 | — | — | 47 | 400 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **57** | **67,493** |

### CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 10

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L135 C | 39 | 42 | 45 | 26,319 | 49 | 24,185 |
| 74-54 RR | — | — | 44 | 11,323 | 50 | 12,945 |
| VR 9562GC | — | — | 41 | 7,656 | 47 | 5,568 |
| 45H33 | — | — | — | — | 49 | 4,586 |
| D3155C | — | — | — | — | 57 | 3,764 |
| 1990 | — | 38 | 35 | 1,224 | 46 | 3,588 |
| 5440 | 39 | 46 | 38 | 7,068 | 45 | 3,251 |
| L252 | — | — | 44 | 1,929 | 53 | 3,247 |
| 74-44 BL | — | 45 | 37 | 3,231 | 50 | 2,857 |
| 45H29 | 33 | 42 | 45 | 2,879 | 49 | 2,030 |
| L130 | 35 | 44 | 39 | 6,652 | 42 | 1,500 |
| 45H31 | 36 | 41 | 46 | 2,268 | 45 | 1,086 |
| 6056 | — | — | 42 | 1,588 | 35 | 1,077 |
| 73-45 RR | 32 | 40 | 41 | 1,482 | 42 | 847 |
| VT 500 G | 36 | 36 | 38 | 2,502 | 38 | 826 |
| PV 531G | — | — | — | — | 28 | 734 |
| 73-15 RR | 29 | 39 | 30 | 2,028 | 44 | 642 |
| PV 530G | — | — | — | — | 36 | 569 |
| CS 2000 | — | — | — | — | 52 | 442 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **48** | **79,868** |

### BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 10

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Austenson | 73 | 87 | 79 | 7,597 | 62 | 16,421 |
| AC Metcalfe | 42 | 64 | 69 | 1,666 | 73 | 3,391 |
| Xena | 48 | 66 | 66 | 2,916 | 49 | 3,380 |
| Busby | 49 | 69 | 60 | 2,177 | 52 | 2,481 |
| Seebe | 37 | 61 | 43 | 3,687 | 47 | 2,334 |
| CDC Copeland | 61 | 65 | 66 | 947 | 71 | 2,131 |
| Gadsby | — | 75 | — | — | 65 | 1,384 |
| CDC Helgason | — | — | — | — | 49 | 545 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **60** | **37,717** |

### PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 10

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 44 | 40 | 55 | 2,996 | 48 | 8,046 |
| Thunderbird | — | — | — | — | 39 | 1,018 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **46** | **12,379** |

### OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 10

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | 77 | 95 | 89 | 9,010 | 68 | 11,256 |
| AC Mustang | 56 | 62 | 74 | 1,903 | 59 | 2,546 |
| Derby | 30 | 71 | — | — | 52 | 412 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **66** | **15,812** |

### FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 10

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Snowbird | — | — | 2,548 | 2,000 | 2,846 | 1,589 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **2,176** | **2,517** |

## RISK AREA 11

### WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Foremost (CPS) | 61 | 86 | 75 | 85,652 | 59 | 88,417 |
| Harvest (HRS) | 54 | 72 | 64 | 73,216 | 52 | 62,251 |
| Stettler (HRS) | 53 | 68 | 61 | 58,114 | 52 | 42,116 |
| Muchmore (HRS) | — | 83 | 67 | 14,543 | 56 | 35,392 |
| 5700 PR (CPS) | 57 | 77 | 66 | 30,308 | 60 | 25,389 |
| CDC Go (HRS) | 51 | 70 | 65 | 12,012 | 52 | 17,156 |
| CDC Stanley (HRS) | 53 | 71 | 64 | 13,418 | 53 | 17,073 |
| CDC Abound (HRS) | 53 | 75 | 66 | 13,212 | 64 | 12,202 |
| Conquer (CPS) | — | — | 68 | 681 | 48 | 4,740 |
| Superb (HRS) | 48 | 64 | 59 | 6,530 | 45 | 4,423 |
| 5604HR CL (HRS) | 51 | 63 | 57 | 3,534 | 43 | 3,514 |
| CDC Plentiful (HRS) | — | — | — | — | 60 | 3,469 |
| AAC Redwater (HRS) | — | — | — | — | 63 | 2,587 |

† Yields only for those varieties grown by 5 or more producers;
‡ On system as of January 18, 2016;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AAC Ryley (CPS) | — | — | — | — | 66 | 2,531 |
| AAC Bailey (HRS) | — | — | 52 | 1,070 | 51 | 2,144 |
| Carberry (HRS) | — | — | — | — | 61 | 1,542 |
| Snowbird (HRS) | — | — | 63 | 3,205 | 50 | 1,492 |
| Goodeve (HRS) | — | — | — | — | 63 | 1,415 |
| 5701 PR (CPS) | 56 | 87 | 66 | 901 | 56 | 1,350 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **56** | **343,309** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L135 C | 39 | 51 | 50 | 169,898 | 48 | 174,905 |
| 74-54 RR | — | — | 47 | 74,623 | 48 | 63,511 |
| VR 9562GC | — | — | 48 | 37,830 | 47 | 46,058 |
| 45H33 | — | — | — | — | 47 | 35,591 |
| 6056 | — | 49 | 47 | 13,414 | 44 | 12,686 |
| 45H29 | 36 | 50 | 49 | 36,186 | 46 | 12,626 |
| L252 | — | — | 51 | 4,663 | 52 | 7,051 |
| D3155C | — | — | — | — | 50 | 6,676 |
| 74-44 BL | — | 45 | 43 | 9,542 | 39 | 6,358 |
| L130 | 40 | 49 | 46 | 17,488 | 43 | 6,072 |
| CS 2000 | — | — | — | — | 54 | 5,313 |
| 1990 | 47 | 48 | 49 | 5,349 | 42 | 3,555 |
| 5440 | 39 | 48 | 48 | 7,121 | 43 | 3,165 |
| SY 4105 | — | — | — | — | 43 | 2,420 |
| 1918 | 34 | 41 | 37 | 3,030 | 29 | 2,404 |
| 6040 RR | 27 | 44 | 40 | 1,573 | 48 | 1,872 |
| 73-15 RR | 36 | 40 | 38 | 2,131 | 42 | 1,614 |
| 1960 | 28 | 42 | — | — | 38 | 1,427 |
| 73-45 RR | 34 | 44 | 42 | 2,921 | 39 | 1,292 |
| VT 500 G | 37 | 42 | 41 | 5,431 | 38 | 1,255 |
| 45H31 | 39 | 50 | 43 | 2,759 | 44 | 1,149 |
| L120 | 35 | 46 | 43 | 4,393 | 45 | 1,091 |
| 6050 RR | — | 42 | 45 | 2,925 | 38 | 1,068 |
| L150 | 36 | 46 | 50 | 1,260 | 34 | 883 |
| L140 P | — | — | 47 | 1,036 | 50 | 834 |
| PV 531G | — | — | — | — | 38 | 571 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **47** | **414,373** |

## BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Austenson | 57 | 81 | 76 | 24,040 | 63 | 34,799 |
| CDC Coalition | 69 | 88 | 82 | 26,138 | 70 | 26,742 |
| CDC Copeland | 60 | 86 | 82 | 14,806 | 75 | 23,542 |
| Xena | 56 | 81 | 77 | 26,976 | 65 | 22,114 |
| Champion | 61 | 84 | 78 | 19,238 | 64 | 13,186 |
| AC Metcalfe | 52 | 69 | 70 | 8,856 | 69 | 11,417 |
| Seebe | 49 | 79 | 68 | 11,185 | 54 | 10,293 |
| Bentley | 46 | 82 | 73 | 2,321 | 68 | 4,051 |
| Ponoka | 51 | 71 | 76 | 3,896 | 60 | 3,842 |
| CDC Thompson | 54 | 95 | 72 | 2,487 | 94 | 3,559 |
| Vivar | 59 | 83 | 76 | 2,545 | 56 | 2,908 |
| Brahma | — | — | — | — | 60 | 2,697 |
| Major | 71 | 91 | 84 | 2,561 | 74 | 2,620 |
| Stander | 58 | 76 | 82 | 2,415 | 86 | 2,179 |
| Busby | 51 | 73 | 72 | 2,320 | 66 | 1,873 |
| CDC Cowboy | 46 | 75 | 63 | 1,082 | 43 | 1,668 |
| Newdale | 58 | 68 | 76 | 1,381 | 57 | 1,534 |
| CDC Meredith | 74 | 95 | 87 | 3,577 | 74 | 1,461 |
| Gadsby | 49 | 65 | 65 | 3,404 | 59 | 1,398 |
| Falcon | — | 75 | 73 | 1,074 | 43 | 732 |
| Trochu | — | — | 81 | 649 | 71 | 699 |
| Conlon | — | 70 | 66 | 626 | 68 | 420 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **67** | **178,778** |

## PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 40 | 52 | 56 | 4,750 | 48 | 11,718 |
| CDC Striker | 44 | 59 | 53 | 9,612 | 43 | 7,770 |
| Cooper | 35 | 54 | 52 | 3,160 | 47 | 3,241 |
| CDC Raezer | — | — | — | — | 35 | 2,341 |
| Thunderbird | 37 | 42 | 51 | 2,866 | 35 | 2,203 |
| CDC Limerick | — | — | — | — | 47 | 1,726 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **44** | **31,890** |

## OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | 95 | 115 | 94 | 18,705 | 71 | 18,135 |
| Derby | 72 | 93 | 84 | 2,505 | 65 | 2,622 |
| AC Mustang | 78 | 93 | 85 | 1,654 | 81 | 1,912 |
| Grizzly | — | — | — | — | 57 | 270 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **70** | **23,785** |

## FLAX DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AAC Bravo | — | — | — | — | 27 | 1,452 |
| CDC Sorrel | — | — | — | — | 23 | 883 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **27** | **3,299** |

## FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 11

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Snowbird | 3,037 | 3,277 | 2,890 | 13,434 | 2,304 | 11,942 |
| CDC Snowdrop | — | — | — | — | 1,907 | 1,159 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **2,174** | **14,863** |

# RISK AREA 12

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 12

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Stettler (HRS) | 46 | 60 | 52 | 171,299 | 40 | 157,299 |
| Harvest (HRS) | 44 | 60 | 53 | 96,179 | 43 | 79,221 |
| CDC Stanley (HRS) | 50 | 59 | 51 | 62,556 | 42 | 55,445 |
| Muchmore (HRS) | — | 74 | 60 | 26,143 | 47 | 51,009 |
| CDC Utmost (HRS) | 49 | 57 | 52 | 30,705 | 35 | 30,503 |



† Yields only for those varieties grown by 5 or more producers;
‡ On system as of January 18, 2016;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Abound (HRS) | 45 | 58 | 54 | 26,116 | 39 | 24,611 |
| Carberry (HRS) | — | — | 49 | 7,968 | 40 | 18,758 |
| CDC Go (HRS) | 50 | 67 | 60 | 15,655 | 48 | 13,338 |
| AC Foremost (CPS) | 59 | 83 | 72 | 12,080 | 60 | 12,844 |
| Superb (HRS) | 43 | 57 | 45 | 12,274 | 42 | 8,949 |
| CDC VR Morris (HRS) | — | — | 61 | 1,842 | 39 | 8,236 |
| Shaw (HRS) | — | — | 53 | 3,333 | 40 | 7,491 |
| AC Crystal (CPS) | 53 | 62 | 63 | 7,470 | 39 | 7,028 |
| 5700 PR (CPS) | — | 77 | 75 | 2,629 | 43 | 5,203 |
| CDC Thrive (HRS) | — | — | 43 | 4,881 | 35 | 5,113 |
| CDC Plentiful (HRS) | — | — | — | — | 42 | 4,714 |
| 5702 PR (CPS) | 50 | 84 | — | — | 54 | 4,439 |
| Lillian (HRS) | 42 | 48 | 43 | 2,487 | 34 | 3,862 |
| CDC Alsask (HRS) | 45 | 49 | 46 | 5,089 | 35 | 2,714 |
| CDC NRG003 (CPS) | 63 | 69 | 73 | 5,744 | 30 | 2,630 |
| SY 985 (CPS) | — | 72 | 65 | 4,140 | 47 | 2,101 |
| AAC Redwater (HRS) | — | — | — | — | 39 | 1,926 |
| NRG010 (CPS) | — | 64 | — | — | 35 | 1,815 |
| AC Barrie (HRS) | 37 | 44 | 44 | 2,515 | 36 | 1,563 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **42** | **537,676** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| L135 C | 44 | 54 | 48 | 91,516 | 51 | 133,142 |
| L252 | — | — | 45 | 26,297 | 48 | 34,193 |
| 74-44 BL | — | 48 | 44 | 52,255 | 43 | 33,955 |
| 74-54 RR | — | 58 | 44 | 39,726 | 47 | 33,115 |
| 5440 | 39 | 51 | 44 | 34,031 | 38 | 31,637 |
| L130 | 42 | 52 | 45 | 60,491 | 43 | 28,618 |
| VR 9562GC | — | — | 42 | 8,843 | 49 | 26,590 |
| 1990 | 41 | 50 | 42 | 22,440 | 44 | 16,821 |
| L150 | 40 | 49 | 44 | 21,564 | 43 | 13,279 |
| VT 500 G | 33 | 43 | 38 | 27,484 | 39 | 12,655 |
| 6056 | — | 57 | 43 | 9,221 | 51 | 12,640 |
| 45H29 | 40 | 52 | 43 | 14,293 | 44 | 12,521 |
| D3155C | — | — | — | — | 50 | 11,948 |
| L140 P | — | — | 42 | 4,139 | 44 | 11,935 |
| 45H33 | — | — | — | — | 45 | 7,300 |
| VR 9559 G | 36 | 49 | 39 | 11,402 | 43 | 6,537 |
| L159 | 37 | 49 | 38 | 9,073 | 40 | 6,431 |
| 73-15 RR | 33 | 47 | 43 | 2,015 | 37 | 5,511 |
| PV 530G | — | — | — | — | 37 | 5,273 |
| 6060 RR | 40 | 47 | 40 | 10,019 | 43 | 4,602 |
| PV 533G | — | — | — | — | 39 | 4,322 |
| D3153 | — | 46 | 40 | 6,847 | 37 | 4,172 |
| 46A76 | 29 | 39 | 36 | 4,203 | 35 | 3,930 |
| CS 2000 | — | — | — | — | 50 | 3,098 |
| 46H75 | — | — | 42 | 2,800 | 47 | 3,009 |
| 5525 CL | 34 | 44 | 44 | 2,106 | 40 | 2,817 |
| VR 9561GS | — | — | 44 | 1,079 | 43 | 2,438 |
| L120 | 39 | 48 | 39 | 5,284 | 47 | 2,348 |
| 45H76 | — | — | — | — | 46 | 2,296 |
| 6064 RR | — | — | — | — | 42 | 2,241 |
| VR 9560 CL | 40 | 48 | 42 | 2,923 | 44 | 2,081 |
| 1012 RR | 44 | 45 | 37 | 1,745 | 40 | 1,898 |
| 1918 | 30 | 41 | 39 | 1,943 | 38 | 1,780 |
| 45H31 | 35 | 50 | 40 | 5,314 | 43 | 1,665 |
| SY 4105 | — | — | — | — | 43 | 1,648 |
| 6044 RR | — | — | 38 | 2,239 | 43 | 1,566 |
| L156 H | — | — | 43 | 6,977 | 42 | 1,566 |
| 2020 CL | — | — | — | — | 44 | 1,486 |
| 6040 RR | 36 | 45 | 38 | 1,351 | 37 | 1,414 |
| VT Remarkable | 26 | 42 | 32 | 1,615 | 30 | 1,401 |
| V12-1 | — | 46 | 40 | 4,104 | 47 | 1,128 |
| 45S54 | — | 51 | 43 | 4,633 | 37 | 1,065 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **46** | **514,783** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Copeland | 64 | 84 | 75 | 35,589 | 69 | 62,778 |
| Xena | 64 | 79 | 67 | 26,178 | 61 | 18,008 |
| AC Metcalfe | 62 | 78 | 68 | 15,214 | 62 | 17,720 |
| Champion | 71 | 84 | 73 | 14,495 | 63 | 16,366 |
| CDC Austenson | 69 | 84 | 72 | 11,897 | 70 | 13,373 |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Coalition | 73 | 87 | 76 | 13,776 | 72 | 12,676 |
| CDC Cowboy | 56 | 63 | 57 | 9,932 | 50 | 7,833 |
| Newdale | 71 | 82 | 73 | 5,595 | 58 | 3,675 |
| CDC Meredith | 73 | 96 | 78 | 6,809 | 51 | 2,319 |
| Brahma | — | — | — | — | 81 | 2,145 |
| Busby | 58 | 86 | 61 | 3,066 | 76 | 2,145 |
| Bentley | 69 | — | 57 | 1,284 | 62 | 1,890 |
| Ponoka | 53 | 77 | 62 | 1,853 | 67 | 1,604 |
| Seebe | 43 | 63 | 52 | 1,785 | 50 | 1,493 |
| AAC Synergy | — | — | — | — | 72 | 1,346 |
| CDC Maverick | — | — | — | — | 54 | 481 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **65** | **173,787** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 43 | 57 | 51 | 24,448 | 37 | 34,892 |
| CDC Striker | 48 | 57 | 49 | 23,699 | 37 | 17,431 |
| Sorento | 40 | 56 | 46 | 2,412 | 30 | 4,148 |
| CDC Saffron | — | — | — | — | 38 | 3,545 |
| Cooper | 41 | 55 | 54 | 4,766 | 36 | 3,540 |
| Thunderbird | 41 | 49 | 48 | 2,083 | 33 | 3,225 |
| CDC Limerick | — | — | — | — | 45 | 2,987 |
| CDC Golden | 43 | 53 | 47 | 1,900 | 32 | 2,595 |
| CDC Raezer | — | — | — | — | 30 | 2,220 |
| CDC Tetris | — | — | — | — | 44 | 1,210 |
| CDC Pluto | — | 49 | — | — | 39 | 1,039 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **36** | **82,243** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 74 | 98 | 78 | 6,048 | 89 | 9,142 |
| Derby | 80 | 106 | 93 | 3,218 | 55 | 1,585 |
| AC Mustang | 73 | 86 | 80 | 1,971 | 70 | 1,394 |
| 7600M | — | — | — | — | 44 | 869 |
| CDC Baler | 80 | 75 | 70 | 972 | 42 | 805 |
| Calibre | 59 | 75 | — | — | 44 | 517 |
| Grizzly | 75 | — | 81 | 302 | 81 | 436 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **74** | **16,228** |

| FLAX DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Glas | — | — | 31 | 2,854 | 33 | 4,510 |
| AAC Bravo | — | — | — | — | 23 | 2,814 |
| CDC Sorrel | — | — | — | — | 27 | 1,194 |
| Hanley | — | — | 28 | 803 | 32 | 806 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **29** | **10,286** |

| FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Snowbird | — | 3,474 | 2,897 | 7,575 | 1,986 | 13,871 |
| CDC Snowdrop | — | — | — | — | 1,974 | 1,653 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **1,986** | **15,789** |

## RISK AREA 13

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 13 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Stettler (HRS) | 47 | 60 | 55 | 180,542 | 44 | 160,955 |
| Harvest (HRS) | 43 | 62 | 57 | 97,271 | 45 | 92,172 |
| Muchmore (HRS) | — | 72 | 63 | 28,260 | 45 | 64,825 |
| CDC Stanley (HRS) | 49 | 59 | 56 | 46,702 | 45 | 60,798 |
| CDC Utmost (HRS) | 48 | 62 | 61 | 24,137 | 40 | 24,694 |
| AC Foremost (CPS) | 58 | 79 | 76 | 16,962 | 60 | 18,677 |
| 5700 PR (CPS) | 62 | 71 | 68 | 24,282 | 43 | 17,415 |
| CDC Go (HRS) | 43 | 58 | 60 | 19,601 | 42 | 16,830 |
| CDC Abound (HRS) | 49 | 64 | 58 | 17,825 | 38 | 14,609 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 13

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Carberry (HRS) | — | 63 | 63 | 5,814 | 37 | 9,317 |
| AC Crystal (CPS) | 59 | 66 | 67 | 7,417 | 46 | 7,616 |
| CDC Alsask (HRS) | 43 | 54 | 54 | 7,928 | 49 | 6,790 |
| AC Splendor (HRS) | 36 | 54 | 48 | 7,095 | 30 | 6,381 |
| CDC Plentiful (HRS) | — | — | — | — | 45 | 6,281 |
| Superb (HRS) | 40 | 56 | 53 | 7,673 | 43 | 5,373 |
| CDC VR Morris (HRS) | — | — | 58 | 2,077 | 43 | 4,606 |
| Cardale (HRS) | — | — | 65 | 1,067 | 52 | 4,210 |
| Prodigy (HRS) | 37 | 43 | 40 | 7,470 | 36 | 4,138 |
| Goodeve (HRS) | 45 | 59 | 61 | 7,722 | 41 | 3,021 |
| 5701 PR (CPS) | 49 | 60 | 58 | 4,644 | 41 | 2,600 |
| AC Barrie (HRS) | 33 | 43 | 47 | 2,818 | 52 | 2,528 |
| McKenzie (HRS) | 43 | 46 | 35 | 1,275 | 32 | 2,303 |
| CDC Imagine (HRS) | 44 | 52 | 55 | 4,202 | 43 | 2,291 |
| Conquer (CPS) | — | — | — | — | 61 | 2,248 |
| Shaw (HRS) | — | — | 59 | 1,995 | 46 | 2,188 |
| SY 985 (CPS) | — | 70 | 59 | 5,484 | 39 | 1,910 |
| 5604HR CL (HRS) | — | — | — | — | 43 | 1,867 |
| 5702 PR (CPS) | 49 | 67 | 69 | 2,776 | 61 | 1,822 |
| AAC Ryley (CPS) | — | — | — | — | 54 | 1,343 |
| AAC Redwater (HRS) | — | — | — | — | 49 | 837 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **44** | **574,909** |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 13

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L130 | 36 | 50 | 45 | 127,429 | 43 | 90,895 |
| 74-44 BL | 40 | 48 | 44 | 86,512 | 45 | 82,157 |
| L135 C | 41 | 49 | 47 | 29,313 | 48 | 69,374 |
| 5440 | 33 | 49 | 45 | 61,703 | 44 | 54,793 |
| L252 | — | — | 46 | 32,632 | 47 | 53,788 |
| VR 9562GC | — | — | 44 | 21,140 | 45 | 52,971 |

## CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 13

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| 45H29 | 36 | 48 | 43 | 35,113 | 41 | 27,090 |
| 45H33 | — | — | — | — | 46 | 26,376 |
| 74-54 RR | — | 46 | 45 | 20,277 | 44 | 19,444 |
| VR 9559 G | 32 | 46 | 41 | 58,260 | 42 | 15,386 |
| 1990 | 29 | 46 | 42 | 28,586 | 43 | 15,291 |
| PV 530G | — | — | — | — | 41 | 10,832 |
| D3155C | — | — | — | — | 42 | 10,478 |
| L140 P | — | — | 46 | 4,812 | 45 | 10,151 |
| L159 | 32 | 50 | 43 | 12,324 | 44 | 9,156 |
| L150 | 33 | 51 | 39 | 17,022 | 42 | 7,761 |
| 45H76 | — | — | 45 | 1,887 | 45 | 7,541 |
| L120 | 34 | 47 | 39 | 12,820 | 40 | 7,088 |
| D3153 | 36 | 44 | 38 | 15,868 | 37 | 7,001 |
| 45H31 | 36 | 47 | 41 | 19,822 | 42 | 6,683 |
| 6060 RR | 29 | 48 | 41 | 19,974 | 42 | 6,462 |
| VR 9560 CL | 34 | 47 | 41 | 5,818 | 43 | 6,182 |
| VR 9561GS | — | — | 40 | 2,725 | 39 | 6,131 |
| 45S56 | — | — | — | — | 41 | 5,753 |
| 46H75 | — | 49 | 41 | 6,953 | 44 | 5,637 |
| 1012 RR | 33 | 43 | 44 | 1,416 | 40 | 5,068 |
| 6056 | — | — | 42 | 2,873 | 45 | 4,907 |
| VT 500 G | 34 | 41 | 38 | 13,851 | 40 | 4,807 |
| VT Remarkable | 28 | 40 | 32 | 4,256 | 31 | 4,528 |
| 45S54 | — | 48 | 47 | 5,969 | 41 | 3,976 |
| 5525 CL | 35 | 47 | 40 | 1,487 | 43 | 3,541 |
| 46A76 | 31 | 41 | 31 | 3,189 | 33 | 3,129 |
| 73-15 RR | 29 | 42 | 30 | 3,022 | 41 | 3,074 |
| 45S52 | 36 | 46 | 45 | 5,021 | 45 | 2,614 |
| 73-45 RR | 33 | 42 | 33 | 3,758 | 37 | 2,241 |
| 6044 RR | — | — | 38 | 1,764 | 42 | 2,094 |
| SY4114 | — | — | — | — | 37 | 1,745 |
| 1918 | 30 | 36 | 36 | 3,878 | 31 | 1,658 |
| PV 533G | — | — | — | — | 35 | 1,593 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 13 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| SY 4157 | — | — | — | — | 46 | 1,481 |
| Early One | — | — | — | — | 28 | 1,402 |
| 6064 RR | — | — | — | — | 43 | 1,374 |
| Fusion | — | — | 37 | 711 | 36 | 1,056 |
| CS 2000 | — | — | — | — | 38 | 908 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **44** | **686,944** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 13 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Champion | 63 | 85 | 74 | 44,806 | 61 | 35,239 |
| AC Metcalfe | 52 | 71 | 63 | 25,279 | 62 | 33,409 |
| CDC Austenson | 71 | 84 | 82 | 22,180 | 69 | 26,126 |
| Xena | 56 | 80 | 67 | 28,986 | 71 | 24,631 |
| CDC Copeland | 57 | 78 | 67 | 14,682 | 71 | 19,011 |
| CDC Cowboy | 52 | 63 | 54 | 10,917 | 46 | 8,554 |
| CDC Coalition | 61 | 76 | 64 | 2,042 | 80 | 4,801 |
| Gadsby | — | — | — | — | 76 | 3,654 |
| Brahma | — | — | — | — | 55 | 2,623 |
| CDC Trey | 53 | 84 | 65 | 2,881 | 52 | 2,523 |
| Trochu | 51 | 72 | 76 | 1,847 | 72 | 2,328 |
| CDC PolarStar | 50 | — | 76 | 2,995 | 66 | 1,933 |
| CDC Meredith | 71 | 88 | 68 | 2,529 | 74 | 1,873 |
| AAC Synergy | — | — | — | — | 65 | 1,130 |
| Seebe | 52 | 59 | 46 | 1,996 | 18 | 1,123 |
| CDC Dolly | 49 | 66 | 50 | 1,287 | 46 | 996 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **65** | **176,116** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 13 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 39 | 56 | 50 | 30,115 | 40 | 41,748 |
| CDC Striker | — | 51 | 55 | 11,538 | 38 | 12,360 |
| CDC Hornet | — | — | 53 | 1,255 | 37 | 2,824 |
| CDC Saffron | — | — | — | — | 38 | 2,632 |
| CDC Raezer | — | — | — | — | 49 | 1,895 |
| Profi | 40 | 42 | 38 | 1,306 | 29 | 1,883 |
| Swing | — | — | — | — | 32 | 1,080 |
| Thunderbird | 37 | 45 | 46 | 1,052 | 30 | 699 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **39** | **69,994** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 13 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 89 | 105 | 95 | 20,711 | 78 | 17,554 |
| Derby | 57 | 99 | 97 | 2,220 | 72 | 1,833 |
| CDC SO-I | — | 88 | 110 | 1,263 | 64 | 1,537 |
| CDC Nasser | — | — | 99 | 975 | 73 | 808 |
| AC Mustang | 79 | 104 | 82 | 1,273 | 64 | 686 |
| Calibre | 80 | 88 | — | — | 49 | 540 |
| CDC Baler | 97 | 93 | 90 | 649 | 53 | 404 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **74** | **25,116** |

| FLAX DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 13 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Glas | — | — | — | — | 26 | 1,876 |
| CDC Sorrel | — | — | — | — | 31 | 1,260 |
| Hanley | — | 32 | 26 | 1,776 | 25 | 1,157 |
| **Weighted Average Dryland Flax yield (Bu.) & total acres§** | | | | | **28** | **4,731** |

| FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 13 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Snowbird | — | 3,534 | 3,178 | 4,260 | 1,716 | 11,092 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **1,740** | **11,813** |

## RISK AREA 14

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Foremost (CPS) | 54 | 74 | 63 | 10,696 | 50 | 9,680 |
| 5702 PR (CPS) | — | — | — | — | 63 | 3,099 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **52** | **18,879** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| L135 C | — | 49 | 45 | 4,436 | 36 | 7,054 |
| 74-54 RR | — | — | 39 | 1,730 | 41 | 5,573 |
| 5440 | 30 | 34 | 43 | 4,916 | 44 | 2,811 |
| 74-44 BL | — | 27 | 33 | 2,951 | 39 | 2,722 |
| VR 9562GC | — | — | 47 | 2,681 | 45 | 1,952 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **39** | **26,793** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Austenson | — | 93 | 79 | 1,455 | 66 | 4,245 |
| Seebe | 35 | 38 | 74 | 589 | 53 | 604 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **65** | **12,972** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | — | — | 49 | 1,674 | 44 | 1,762 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **42** | **2,542** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 73 | 76 | 65 | 2,253 | 68 | 2,912 |
| AC Mustang | — | — | 73 | 1,468 | 36 | 1,659 |
| Derby | 59 | 83 | 79 | 667 | 66 | 889 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **57** | **6,025** |

## RISK AREA 15

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 15 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Foremost (CPS) | 68 | 91 | 81 | 56,147 | 59 | 64,545 |
| 5700 PR (CPS) | 60 | 77 | 70 | 26,721 | 57 | 28,089 |
| Stettler (HRS) | 54 | 67 | 61 | 25,146 | 48 | 25,587 |
| Harvest (HRS) | 53 | 72 | 63 | 24,649 | 55 | 20,821 |
| AC Crystal (CPS) | 65 | 73 | 67 | 11,612 | 41 | 9,667 |
| CDC Stanley (HRS) | — | 63 | 61 | 6,152 | 41 | 6,909 |
| Muchmore (HRS) | — | — | 76 | 3,008 | 57 | 6,874 |
| CDC Go (HRS) | 46 | — | 66 | 2,598 | 55 | 4,023 |
| Carberry (HRS) | — | — | 62 | 866 | 50 | 3,463 |
| AAC Ryley (CPS) | — | — | — | — | 68 | 3,106 |
| CDC Abound (HRS) | 47 | 68 | 70 | 2,305 | 60 | 2,809 |
| SY 985 (CPS) | — | 75 | 70 | 1,429 | 46 | 2,307 |
| 5604HR CL (HRS) | 49 | 66 | 57 | 1,828 | 46 | 2,156 |
| Superb (HRS) | 53 | 63 | 58 | 2,178 | 58 | 2,155 |
| AAC Redwater (HRS) | — | — | — | — | 46 | 1,754 |
| CDC Utmost (HRS) | — | — | 54 | 3,751 | 40 | 1,459 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **54** | **197,863** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | | RISK AREA 15 |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| L130 | 37 | 48 | 43 | 47,730 | 43 | 37,076 |
| 74-44 BL | — | 45 | 40 | 38,957 | 41 | 36,784 |
| L135 C | 43 | 51 | 47 | 20,986 | 50 | 35,628 |
| L252 | — | — | 43 | 13,103 | 49 | 24,515 |
| 74-54 RR | — | — | 41 | 21,029 | 47 | 18,602 |
| 45H33 | — | — | — | — | 52 | 15,237 |
| VR 9562GC | — | — | 44 | 5,337 | 49 | 15,125 |
| 5440 | 39 | 51 | 43 | 22,725 | 49 | 15,118 |
| 45H31 | 43 | 46 | 42 | 17,507 | 47 | 8,651 |
| 45S56 | — | — | — | — | 38 | 7,177 |
| 6056 | — | — | 46 | 3,359 | 45 | 6,432 |
| VT 500 G | 36 | 43 | 36 | 14,945 | 38 | 6,092 |
| L140 P | — | — | 43 | 3,848 | 42 | 5,557 |
| D3155C | — | — | — | — | 48 | 4,630 |
| PV 530G | — | — | — | — | 38 | 4,155 |
| L150 | 37 | 47 | 38 | 7,220 | 48 | 4,139 |
| L120 | 34 | 45 | 39 | 10,682 | 45 | 4,036 |
| 1990 | 44 | 48 | 42 | 7,522 | 44 | 3,756 |
| 45H76 | — | — | — | — | 35 | 2,470 |
| VR 9561GS | — | — | — | — | 36 | 2,412 |
| 45H29 | 38 | 47 | 43 | 4,168 | 51 | 2,173 |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| 73-45 RR | 34 | 42 | 38 | 3,687 | 33 | 2,120 |
| 73-15 RR | 32 | 43 | 34 | 8,343 | 40 | 2,056 |
| VR 9559 G | 34 | 46 | 39 | 4,928 | 38 | 2,051 |
| L159 | 37 | 47 | 45 | 2,881 | 52 | 1,954 |
| 45S52 | 38 | 44 | 42 | 4,986 | 45 | 1,880 |
| 1012 RR | — | 45 | — | — | 42 | 1,590 |
| 6060 RR | 34 | 46 | 42 | 3,670 | 43 | 1,439 |
| 1918 | 36 | 43 | 39 | 1,289 | 41 | 1,072 |
| 6064 RR | — | — | — | — | 38 | 1,037 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **45** | **286,250** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Austenson | 64 | 90 | 73 | 16,480 | 64 | 18,939 |
| CDC Coalition | 67 | 84 | 70 | 17,476 | 68 | 15,862 |
| AC Metcalfe | 59 | 74 | 70 | 8,119 | 67 | 12,953 |
| CDC Copeland | 67 | 78 | 67 | 8,267 | 70 | 9,724 |
| Champion | 68 | 90 | 72 | 9,967 | 63 | 8,933 |
| Seebe | 50 | 69 | 56 | 5,354 | 51 | 4,917 |
| Ponoka | 60 | 85 | 77 | 3,356 | 80 | 3,771 |
| Xena | 53 | 79 | 64 | 9,575 | 65 | 3,700 |
| CDC Cowboy | 56 | 81 | 66 | 3,261 | 45 | 2,884 |
| CDC Meredith | — | 88 | — | — | 73 | 891 |
| Busby | 55 | 75 | 64 | 1,719 | 52 | 801 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **65** | **93,679** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 49 | 59 | 49 | 6,137 | 43 | 15,594 |
| CDC Striker | — | — | 64 | 3,153 | 44 | 5,384 |
| Cooper | 44 | — | 59 | 2,828 | 44 | 3,228 |
| Thunderbird | — | — | — | — | 51 | 2,123 |
| CDC Raezer | — | — | — | — | 45 | 1,383 |
| Canstar | 49 | 49 | 55 | 1,710 | 31 | 870 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **44** | **29,847** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 91 | 113 | 98 | 17,398 | 77 | 17,212 |
| AC Mustang | 77 | 84 | 94 | 1,964 | 59 | 1,539 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **74** | **20,830** |

| FABA BEAN DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Snowbird | — | — | 2,734 | 988 | 2,014 | 2,515 |
| **Weighted Average Dryland Faba Bean yield (Lbs.) & total acres§** | | | | | **1,907** | **2,667** |

## RISK AREA 16

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 16 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Foremost (CPS) | 60 | 80 | 72 | 2,689 | 50 | 5,745 |
| Stettler (HRS) | 59 | 49 | 56 | 1,947 | 45 | 1,683 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **49** | **9,434** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 16 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| 74-44 BL | — | 37 | 35 | 3,973 | 41 | 5,199 |
| VR 9562GC | — | — | — | — | 43 | 2,171 |
| L252 | — | — | — | — | 37 | 1,668 |
| 73-15 RR | — | 38 | 29 | 1,543 | 44 | 1,293 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **41** | **14,630** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 16 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 81 | 132 | 99 | 2,200 | 83 | 2,029 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **83** | **2,029** |

## RISK AREA 17

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 17 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Stettler (HRS) | — | 59 | 60 | 7,376 | 64 | 17,869 |
| Harvest (HRS) | 41 | 44 | 50 | 4,870 | 62 | 3,797 |
| 5700 PR (CPS) | — | — | — | — | 52 | 2,809 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **61** | **30,884** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 17 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| 74-44 BL | — | — | 42 | 5,240 | 39 | 5,957 |
| L130 | 34 | — | 37 | 3,431 | 35 | 4,205 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **39** | **31,251** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 17 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | — | 51 | — | — | 55 | 2,756 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **49** | **4,706** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 17 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Derby | — | — | 64 | 1,816 | 97 | 1,921 |
| AC Morgan | — | — | — | — | 96 | 1,350 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **94** | **4,373** |

## RISK AREA 18

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 18 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Stettler (HRS) | 53 | 76 | 47 | 12,040 | 53 | 11,640 |
| Harvest (HRS) | 53 | 67 | 46 | 7,610 | 49 | 5,718 |
| CDC Go (HRS) | — | — | — | — | 51 | 5,192 |
| Superb (HRS) | 56 | 72 | 59 | 3,441 | 59 | 5,180 |
| CDC Alsask (HRS) | 51 | — | — | — | 37 | 3,219 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **53** | **52,109** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 18 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| L130 | 29 | 48 | 36 | 15,367 | 39 | 21,976 |
| L120 | 29 | 42 | 37 | 13,189 | 32 | 12,902 |
| 45H33 | — | — | — | — | 37 | 3,898 |
| 73-45 RR | 31 | 42 | 33 | 5,904 | 39 | 2,925 |
| 74-44 BL | — | — | 28 | 9,725 | 41 | 2,720 |
| 45H29 | — | — | — | — | 40 | 2,705 |
| 73-15 RR | 25 | 43 | 27 | 5,334 | 30 | 1,855 |
| PV 531G | — | — | — | — | 22 | 1,632 |
| 73-55 RR | 26 | — | 31 | 1,881 | 39 | 1,303 |
| 43E03 | — | — | — | — | 29 | 1,086 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **35** | **62,642** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 18 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Metcalfe | 43 | 70 | 63 | 3,161 | 71 | 11,987 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **69** | **14,090** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 18 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 34 | 67 | 41 | 9,719 | 44 | 18,369 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **43** | **24,066** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 18 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 76 | 101 | 73 | 3,051 | 85 | 5,069 |
| Derby | 27 | 120 | — | — | 59 | 828 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **80** | **6,182** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

## RISK AREA 19

### WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 19

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Stettler (HRS) | 57 | 59 | 45 | 75,195 | 46 | 79,291 |
| Harvest (HRS) | 53 | 50 | 46 | 92,953 | 45 | 69,339 |
| CDC Utmost (HRS) | — | — | 48 | 11,683 | 46 | 40,864 |
| Superb (HRS) | 58 | 61 | 49 | 22,735 | 55 | 22,015 |
| CDC Abound (HRS) | 52 | 58 | 45 | 18,027 | 54 | 16,630 |
| CDC Go (HRS) | 60 | 63 | 46 | 13,983 | 45 | 11,195 |
| AC Foremost (CPS) | 62 | 72 | 42 | 9,665 | 50 | 9,146 |
| CDC Stanley (HRS) | 60 | 58 | 48 | 11,185 | 43 | 8,627 |
| AC Intrepid (HRS) | 45 | 53 | 38 | 8,507 | 42 | 7,504 |
| CDC VR Morris (HRS) | — | — | — | — | 37 | 7,068 |
| AC Splendor (HRS) | 49 | 58 | 38 | 5,631 | 38 | 6,619 |
| Alvena (HRS) | 49 | 54 | 32 | 6,393 | 30 | 5,894 |
| 5700 PR (CPS) | 53 | 70 | 38 | 7,832 | 39 | 4,466 |
| CDC Teal (HRS) | 51 | 44 | 37 | 4,196 | 32 | 3,178 |
| AC Elsa (HRS) | 52 | — | — | — | 39 | 2,360 |
| CDC Alsask (HRS) | 50 | 50 | 44 | 3,374 | 42 | 2,287 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **46** | **312,713** |

### CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 19

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L130 | 38 | 46 | 31 | 142,255 | 36 | 121,557 |
| 74-44 BL | — | 40 | 29 | 75,279 | 37 | 63,651 |
| L252 | — | — | 33 | 21,430 | 41 | 36,648 |
| 73-45 RR | 36 | 40 | 29 | 32,778 | 34 | 25,337 |
| L120 | 37 | 43 | 31 | 49,393 | 31 | 20,800 |
| 45S52 | 37 | 43 | 31 | 21,345 | 35 | 15,155 |
| L150 | 38 | 44 | 28 | 11,980 | 38 | 15,140 |
| 74-54 RR | — | — | 35 | 6,758 | 37 | 13,204 |
| 45H31 | 35 | 41 | 28 | 18,941 | 38 | 11,906 |
| SY 4135 | — | — | 33 | 8,808 | 32 | 10,929 |
| 73-15 RR | 31 | 43 | 26 | 18,682 | 27 | 10,704 |
| 45S56 | — | — | — | — | 32 | 9,869 |
| 1990 | — | 44 | 28 | 8,148 | 37 | 9,156 |
| PV 531G | — | — | — | — | 27 | 8,776 |
| 43E03 | — | — | — | — | 29 | 8,178 |
| 45S54 | — | 39 | 25 | 19,775 | 30 | 6,284 |
| 45H33 | — | — | — | — | 38 | 6,197 |
| L140 P | — | — | 31 | 3,211 | 29 | 5,329 |
| 73-55 RR | 35 | 41 | 27 | 11,240 | 42 | 3,891 |
| 43E02 | — | 36 | 27 | 9,121 | 30 | 3,766 |
| PV 530G | — | — | — | — | 30 | 3,361 |
| 5440 | 44 | — | 36 | 3,827 | 42 | 3,110 |
| VR 9562GC | — | — | 30 | 1,410 | 40 | 3,072 |
| 1918 | — | 37 | 22 | 2,830 | 23 | 2,818 |
| 45H76 | — | — | — | — | 37 | 2,794 |
| D3155C | — | — | — | — | 39 | 2,564 |
| 5535 CL | 36 | 41 | 27 | 3,464 | 37 | 2,529 |
| VR 9561GS | — | — | 33 | 2,981 | 37 | 1,649 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **35** | **450,653** |

### BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 19

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Metcalfe | 57 | 71 | 65 | 15,918 | 66 | 22,245 |
| CDC Austenson | — | 76 | 68 | 4,316 | 80 | 10,451 |
| CDC Copeland | 60 | 83 | 60 | 5,850 | 65 | 6,659 |
| Champion | 74 | 89 | 82 | 7,226 | 68 | 3,732 |
| Sundre | 44 | 60 | 68 | 2,624 | 69 | 1,903 |
| Xena | 58 | 72 | 59 | 1,482 | 74 | 1,355 |
| Ponoka | 77 | 80 | 65 | 1,188 | 80 | 1,326 |
| CDC Meredith | — | 77 | — | — | 78 | 890 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **68** | **54,303** |

### PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 19

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 43 | 60 | 36 | 36,666 | 38 | 59,510 |
| CDC Patrick | 36 | 39 | 40 | 4,017 | 37 | 6,499 |
| Garde | 38 | 60 | 48 | 2,377 | 40 | 3,465 |
| CDC Saffron | — | — | — | — | 36 | 2,236 |
| Cutlass F.P. | 31 | 51 | 34 | 3,248 | 34 | 2,190 |
| SW Midas | 31 | 54 | 39 | 1,882 | 52 | 2,114 |
| CDC Tetris | — | — | 37 | 1,858 | 32 | 2,018 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **38** | **83,118** |

### OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 19

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Morgan | 64 | 102 | 63 | 3,166 | 87 | 5,021 |
| Derby | 71 | 118 | 65 | 3,106 | 59 | 3,980 |
| AC Mustang | — | — | — | — | 77 | 515 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **73** | **10,063** |

## RISK AREA 20

### WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 20

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Harvest (HRS) | 58 | 49 | 48 | 21,002 | 41 | 17,329 |
| CDC Stanley (HRS) | 61 | 56 | 51 | 7,129 | 54 | 14,228 |
| CDC Utmost (HRS) | — | — | 43 | 6,036 | 39 | 12,956 |
| Stettler (HRS) | — | 55 | 46 | 10,251 | 42 | 9,923 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **44** | **73,498** |

### CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 20

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L130 | 42 | 40 | 32 | 16,363 | 43 | 20,561 |
| 73-45 RR | 34 | 35 | 29 | 14,665 | 36 | 14,549 |
| 74-44 BL | — | — | 29 | 13,265 | 37 | 12,671 |
| L120 | 37 | 37 | 36 | 26,280 | 43 | 10,029 |
| 73-15 RR | 30 | 35 | 29 | 7,730 | 38 | 7,529 |
| 74-54 RR | — | — | — | — | 36 | 5,760 |
| L252 | — | — | 36 | 3,844 | 43 | 2,024 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **40** | **91,191** |

### BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 20

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| AC Metcalfe | 59 | — | — | — | 53 | 2,769 |
| Xena | 62 | 54 | 79 | 635 | 80 | 1,268 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **58** | **7,195** |

### PEA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 20

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Meadow | 35 | 54 | 34 | 3,887 | 34 | 9,437 |
| CDC Patrick | — | 27 | 45 | 2,313 | 40 | 1,946 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **36** | **12,902** |

### OATS DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 20

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| Derby | — | — | 55 | 734 | 57 | 1,357 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **56** | **1,395** |

## RISK AREA 21

### WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 21

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| CDC Go (HRS) | 42 | 65 | 41 | 15,698 | 34 | 22,616 |
| Stettler (HRS) | 53 | 64 | 43 | 15,276 | 35 | 21,080 |
| 5700 PR (CPS) | 54 | 75 | 43 | 20,557 | 33 | 19,494 |
| Harvest (HRS) | 44 | 62 | 45 | 8,627 | 38 | 6,348 |
| CDC Osler (HRS) | — | — | 44 | 4,952 | 37 | 5,259 |
| 5702 PR (CPS) | 57 | 80 | 56 | 4,914 | 41 | 5,182 |
| CDC Stanley (HRS) | — | 68 | 41 | 2,785 | 32 | 2,334 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **34** | **97,318** |

### CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† — RISK AREA 21

| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
|---|---|---|---|---|---|---|
| L130 | 28 | 49 | 32 | 39,744 | 24 | 39,064 |
| L120 | 27 | 42 | 28 | 42,852 | 19 | 28,968 |
| 73-15 RR | 26 | 38 | 30 | 27,863 | 19 | 18,533 |
| 73-45 RR | 29 | 36 | 28 | 6,626 | 24 | 12,668 |
| 74-44 BL | — | — | 30 | 5,246 | 23 | 5,915 |
| PV 531G | — | — | — | — | 10 | 3,213 |
| 43E03 | — | — | — | — | 14 | 1,922 |
| 45H33 | — | — | — | — | 26 | 1,867 |
| L140 P | — | — | — | — | 22 | 1,350 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **21** | **132,080** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 18, 2016;

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 21 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Metcalfe | 45 | 66 | 49 | 3,160 | 35 | 6,901 |
| CDC Austenson | — | 98 | 73 | 1,045 | 42 | 3,805 |
| Sundre | 45 | 66 | 62 | 3,157 | 54 | 2,429 |
| CDC Copeland | 47 | 67 | 42 | 1,880 | 37 | 2,124 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **40** | **21,223** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 21 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 32 | 57 | 33 | 19,474 | 26 | 31,431 |
| SW Midas | 26 | 39 | 31 | 1,639 | 20 | 1,365 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **24** | **39,673** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 21 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 63 | 134 | 50 | 3,031 | 55 | 4,463 |
| Derby | 52 | 89 | — | — | 61 | 1,954 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **61** | **7,839** |

## RISK AREA 22

| WHEAT DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 22 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| Stettler (HRS) | — | 53 | 47 | 4,395 | 21 | 16,488 |
| AC Intrepid (HRS) | 27 | 47 | 36 | 5,893 | 17 | 4,202 |
| CDC Alsask (HRS) | 22 | 48 | 38 | 3,014 | 15 | 2,836 |
| CDC Stanley (HRS) | — | — | 30 | 2,689 | 8 | 2,189 |
| CDC Go (HRS) | — | — | — | — | 18 | 1,411 |
| Roblin (HRS) | 25 | 37 | 37 | 2,224 | 11 | 1,089 |
| **Weighted Average Dryland Wheat yield (Bu.) & total acres§** | | | | | **19** | **35,620** |

| CANOLA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 22 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| L130 | 26 | 47 | 34 | 31,602 | 22 | 27,371 |
| L120 | 29 | 44 | 32 | 20,458 | 23 | 13,988 |
| L252 | — | — | 39 | 2,446 | 27 | 11,544 |
| 74-44 BL | — | 39 | 29 | 8,606 | 19 | 5,411 |
| 45H31 | 26 | 39 | 35 | 2,628 | 18 | 3,959 |
| 1990 | — | 44 | 29 | 3,348 | 22 | 3,520 |
| 73-15 RR | 23 | 36 | 27 | 3,826 | 11 | 2,712 |
| 45H33 | — | — | — | — | 15 | 1,505 |
| L150 | 23 | 42 | 29 | 2,406 | 21 | 1,035 |
| **Weighted Average Dryland Canola yield (Bu.) & total acres§** | | | | | **22** | **79,949** |

| BARLEY DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 22 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Austenson | — | 75 | — | — | 26 | 996 |
| **Weighted Average Dryland Barley yield (Bu.) & total acres§** | | | | | **39** | **3,066** |

| PEA DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 22 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| CDC Meadow | 21 | 40 | 28 | 11,318 | 12 | 19,642 |
| **Weighted Average Dryland Pea yield (Bu.) & total acres§** | | | | | **12** | **19,927** |

| OATS DRYLAND YIELDS BY VARIETY 2012–2015† | | | | | RISK AREA 22 | |
|---|---|---|---|---|---|---|
| Variety | 2012 Yield | 2013 Yield | 2014 Yield | 2014 Acres | 2015 Yield | 2015‡ Acres |
| AC Morgan | 43 | 77 | 51 | 4,077 | 50 | 6,448 |
| **Weighted Average Dryland Oats yield (Bu.) & total acres§** | | | | | **50** | **6,911** |

† Yields only for those varieties grown by 5 or more producers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.

‡ On system as of January 18, 2016;

# Business Directory

*Please support our advertisers by contacting these fine companies for all your seed needs.*


# READY FOR **ANYTHING.**

**There's no way to know what Mother Nature is going to throw at you,** but there is a way to be ready for it.

With built-in technology that helps you tackle tough weeds in tough conditions, Genuity® Roundup Ready® canola can be the most valuable tool in your field. **It's the foundation for a family of high-yielding canola hybrids that offer diverse disease resistance and enable progressive farming practices such as straight cutting. You can't anticipate everything, but you can prepare for anything.**

**Get ready for next season; talk to your retailer about booking Genuity Roundup Ready canola for 2016.**

# 45H33

# 116.8 bushels per acre!

Pioneer® hybrid 45H33 with Pioneer Protector® Clubroot resistance is setting new yield standards for Western Canada. The winner of our 2015 Proving Ground™ Yield Challenge just weighed in with a whopping 116.8 bu/ac*. And the runner-up delivered 84.3 bu/ac*, both growing Pioneer® hybrid 45H33.


## What we do, is in our name.

Pioneer® brand canola hybrids with Pioneer Protector® traits give you the peace of mind you need when growing canola.

By delivering elite genetics with built-in resistance traits and solid agronomics, Pioneer® brand canola hybrids help you maximize the potential of your canola crops to achieve industry-leading yields.

To find out more about achieving high canola yields, talk to your local Pioneer Hi-Bred sales representative or visit pioneer.com

@PioneerWCanada

*Canola yield data collected from large-scale, grower managed Proving Ground™ trials across Western Canada as of October 30, 2015 as part of the 2015 DuPont Pioneer Yield Challenge. Product responses are variable and subject to any number of environmental, disease and pest pressures. Individual results may vary. Multi-year and multi-location data is a better predictor of future performance. Refer to www.pioneer.com/yield or contact a Pioneer Hi-Bred sales representative for the latest and complete listing of traits and scores for each Pioneer® brand product. Genuity® and Roundup Ready® are registered trademarks of Monsanto Technology LLC. Pioneer® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents.